

 **Armstrong**

1957

Armstrong

Armstrong

Armstrong

Armstrong

Armstrong

Armstrong

Armstrong

Armstrong

Armstrong

Armstrong

Armstrong

Armstrong

PRESENTED TO:

Armstrong

Armstrong

Armstrong

Armstrong

Armstrong

Armstrong

Armstrong

Armstrong

Armstrong

Armstrong

Armstrong

Armstrong

LINOLEUM

PLASTICS

RESILIENT TILES

WALL COVERINGS

FELT-BASE

COUNTER TOPS

SUNDRIES



Digitized by

The Association for Preservation Technology International

For the

Building Technology Heritage Library

<http://archive.org/details/buildingtechnologyheritagelibrary>



Digitized by

The Association for Preservation Technology International

For the

Building Technology Heritage Library

<http://archive.org/details/buildingtechnologyheritagelibrary>

SUNDRIES

COUNTER TOPS

FELT-BASE

WALL COVERINGS

RESILIENT TILES

PLASTICS

LINOLEUM

Armstrong

1957

CUSHION-EZE BACK This exclusive Armstrong backing consists of a foam layer applied to the felt backing of certain styles of Armstrong Corlon and Linoleum. This foam cushion actually supports the resilient flooring on little bubbles of air and gives the feeling of walking on air. In addition to its underfoot comfort, the extra "give" of Cushion-Eze sharply reduces impact noise from walking and running and cuts maintenance to an absolute minimum because it prevents dirt from being ground into the floor. Cushion-Eze backed materials are installed direct to the subfloor (no lining felt required) and no special adhesives are necessary. The products with the Cushion-Eze Back are the subject of a patent application.

HYDROCORD BACK A revolutionary new backing, which for the first time, permits the installation of sheet-type Armstrong Corlon on grade-level concrete subfloors. It is another Armstrong exclusive feature, made of materials which are not affected by the alkaline moisture always found in these subfloors. Hydrocord back is easy to cut, has unusual flexibility and will not tear or break easily during installation.

ARMOFELT BACKING An exclusive felt backing material made from fresh, unused cloth fibers. These fibers are processed with a clear resin saturant which welds them into a backing material of outstanding strength and flexibility. Armofelt backing is as durable as the floor itself. It cuts easily, will not "gum" knife blades and will not mark or discolor woodwork.

ASPHALT SATURATED BACK This felt backing is made according to rigid Armstrong quality standards. It consists of a combination of high quality fresh fibers saturated with asphalt to give it flexibility and added strength. The asphalt is sealed in with several coats of paint.

EFFECTS OF SUNLIGHT The pigments used in the manufacture of Armstrong Floors are as fade resisting as modern science can make them. However, as in paint, fabrics, and other furnishings strong sunlight will have a bleaching effect on flooring, some colors more than others.

FEDERAL SPECIFICATIONS All Armstrong resilient floors meet and, in most cases, easily exceed the property requirements established by Federal Specifications for various resilient floors. Copies of the performance records of Armstrong Floors in relation to Federal Specifications may be obtained upon request.

COLOR MATCHING Because of color printing limitations, we cannot guarantee exact duplication of the color values of actual goods in this pattern book. For accurate color matching, it is recommended that samples of the actual goods be used.

TRADE-MARKS Armofelt, Budget, Budgeteer, Corlex, Corlon, Corkstyle, Craftline, Cushion-Eze, Decoray, Decoresq, Estate, Excelon, Granette, Hydrocord, Imperial, K-99, Linogloss, Linostrip, Linotile, Marbelle, Modern tred, Mosaic, Multitone, Newray, Quaker, Royelle, Spatter, Suburban, Temboard, Terrazzo, Textelle are trade-marks of the Armstrong Cork Company, Lancaster, Pa.

contents

LINOLEUM

Plain
Desk Top
Jaspé
Decoray
Suburban
Marbelle
Royelle
Textelle
Spatter
Craftline Inlaid
Embossed Inlaid
Straight Line Inlaid
Newray Inlaid

PLASTICS

Granette Corlon
Terrazzo Corlon
Decoresq Corlon

Mosaic Corlon
Estate Corlon

RESILIENT TILES

Asphalt Tile
Excelon Tile
Cork Tile
Rubber Tile
Linotile
Custom Corlon Tile
Estate Corlon Tile
Decoray Linoleum Tile
Royelle Linoleum Tile
Suburban Linoleum Tile

WALL COVERINGS

De Luxe Corkwall
Vinyl Wall Tile
Plastic Surfacing
Budget Wall Covering

FELT-BASE

Quaker Rugs
Rug Border
Quaker Floor Covering

COUNTER TOPS

Corlex
Plastic Surfacing

SUNDRIES

Rubber Runner
Maintenance Sundries
Installation Sundries
General Information
Shipping Weights
Pattern Repeats
District Offices
Warehousing Points
Index

JUST what is it that makes today's homes so much better to live in? Good design, for one thing . . . more open, more livable interiors.

Good decorating ideas for another . . . richer colors, brighter more cheerful rooms. And practicality, too . . . easy to clean, long-lasting materials. Good design, lovely colorings, great practicality—these are the three most important features found in all Armstrong resilient floors.

The floor, usually the largest single area of color in any interior, is the place to start a successful decorating scheme, whether in a new or old home. The wall-to-wall color and handsome designs of an Armstrong Floor can set a theme around which just the right decorative effect can be created in any interior. The design can be carried through from area to area, to create decorative unity—especially important in open-planned homes. And Armstrong Floors can give the proper setting to any style of furniture—whether traditional or modern—or harmonize these different styles of furnishings in one area.

Floors used to be—and some types still are—the back-breaking part of housework. But no Armstrong Floor needs more than the minimum of care—there's always time and energy left to do other things.

There are Armstrong Floors to match every decorative preference, to suit every pocketbook and to solve every flooring problem—in every room in the house. Each floor, too, can be individually custom styled.

come in!

There's nothing like a friendly first impression. Even though this entrance hall is small, the mirror and the clever floor design give it a look of spaciousness. With the frequent coming-and-going of family and visitors, appearance and durability are very important factors in choosing a floor for an area like this. It must be easy to clean, too, so that tracked-in dirt can be wiped away easily and quickly—especially when the weather is bad.

Floor is Armstrong Custom Corlon Tile, Style 460 and Style 462.





LINOLEUM

PLASTICS

RESILIENT TILES

WALL COVERINGS

FELT-BASE

COUNTER TOPS

SUNDRIES



time to relax

The color scheme of the living room above gives it a casual and comfortable air. That's because the warm colorings of the floor are repeated in the upholstery, ceiling, and walls—a very smart decorative idea. The colorful sheet plastic floor makes a wonderful background for the area rug, adding to the richness of its appearance.

Floor is Armstrong Terrazzo Corlon, Style 6209.

At right, the soft natural tones of cork make a perfect setting for an interesting combination of Victorian and modern furniture, blending the old and the new in a pleasingly informal way. The quietness and comfort underfoot for which Armstrong Cork Tile is noted add still another restful note to this smart contemporary living area.

Floor is Armstrong Cork Tile, Style 410.



LINOLEUM

PLASTICS

RESILIENT TILES

WALL COVERINGS

FELT-BASE

COUNTER TOPS

SUNDRIES





time to entertain

At left, a porch was enclosed to provide an attractive dining area off the living room. Then an almost seamless Armstrong Floor was installed throughout the two areas to unite them decoratively. Sliding doors separate the rooms when desired. There's no telltale sign of the remodeling job—and there's no doorsill to catch dirt.

Floor is Armstrong Textelle Linoleum, Style 1551.

In the modern home above, a wide fireplace is the focal point of the living room. Because of the growing trend to basementless houses, Armstrong has developed a variety of handsome resilient floors that can be installed directly over the concrete slab, bringing a whole new concept of floor beauty and luxury to homes of this kind.

Floor is Armstrong Custom Corlon Tile, Style 470.





dinnertime

The dining room above is an elegant setting for a formal dinner. The smart black-and-white Armstrong Floor is a perfect background for soft candlelight and fine china. Its smooth, high-polished surface is easy to keep clean, too—spilled food can be quickly whisked away. The floor stays beautiful every day, for every meal.

Floor is Armstrong Rubber Tile, Style 695, combined with Style 653.

The oriental styled dining room at left called for a special sort of decorative background. This Armstrong Floor with its quiet, subtle terrazzo design in gently graduated colors sets off the exquisite furnishings to perfection—and helps give the dining area the spacious, open feeling that is preferred in many of today's fine interiors.

Floor is Armstrong Terrazzo Corlon, 86214.



time to retire

Nowadays, lovely rooms needn't be expensive—as the bedroom above proves. It has one of the really low-cost Armstrong tile floors. These inexpensive floors come in a variety of design effects—and since the tiles are installed one at a time, different colors and stylings can be combined to create a custom look at little or no extra cost.

Floor is Armstrong Asphalt Tile, Style C-971.

The natural cork tones and rich texture of this Armstrong Floor make this lovely bedroom as luxurious as any room can be. It's a pleasure to step out of bed onto this warm cork floor. Its natural springiness makes cork tile magically quiet and comfortable underfoot, and its smooth surface simplifies and lightens housework.

Floor is Armstrong Cork Tile, Style 410.



SUNDRIES

COUNTER TOPS

FELT-BASE

WALL COVERINGS

RESILIENT TILES

PLASTICS

LINOLEUM





bath time

Remember when bathrooms used to be all white and antiseptic looking? Now they're decorative and cheerful. The bathroom above shows how an attractive Armstrong Floor in a custom design can lift it out of the ordinary and give it decorative charm. Custom designed floors add a striking note to any room—often at little extra cost.

Floor is Armstrong Decoresq Corlon, Style 6301.

No problem about getting the children to take their baths in this bathroom, with its gay colorful Armstrong Floor. No need to scold them for splashing either. Water won't leave a trace on the handsome Armstrong Floor—it mops dry in a few seconds. And look what a few simple insets do to give this linoleum floor a rich custom look.

Floor is Armstrong Spatter Linoleum, Style 5005 with insets of Plain Brown 20.



time for breakfast

A breakfast nook in the kitchen is a wonderful convenience. Above, the eating area has been separated from the kitchen proper by a small wall partition and by the strip of tiles that contrast in design from the rest of the Armstrong Floor. This is one of the several types of greaseproof, easy-to-clean plastic floors made by Armstrong.

Floor is Armstrong Excelon Tile, Style 739, combined with 782.

In the kitchen-dining area at right, the "outdoor look" has been brought inside. The realistic flagstone effect of the Armstrong Floor creates a delightful feeling of spaciousness. Yet this floor is virtually seamless, without a crack or crevice where dirt and dust can hide. The smooth surface of Armstrong Linoleum is grease resistant, too!

Floor is Armstrong Embossed Flagstone Linoleum, Style 5310.



LINOLEUM

PLASTICS

RESILIENT TILES

WALL COVERINGS

FELT-BASE

COUNTER TOPS

SUNDRIES





time to cook

With the right "mixer," all sorts of ingredients can be combined. In the modern kitchen above, the striking contrasts of the differently colored appliances are harmonized by the Armstrong Floor. The decorative tones of Armstrong Floors suggest many exciting new color schemes for modern kitchens in new or remodeled homes.

Floor is Armstrong Terrazzo Corlon, Style 6202.

In the kitchen at left, the newest appliances are set in a charming old-fashioned atmosphere. But there are no old-fashioned cleaning problems to worry about. Though it looks just like white brick, the Armstrong Linoleum Floor needs no scrubbing—the almost seamless surface is delightfully smooth and so easy to clean. Spilled things—even grease spatters—disappear with a quick wipe of a damp cloth.

Floor is Armstrong Embossed Linoleum, Style 5490.

LINOLEUM

PLASTICS

RESILIENT TILES

WALL COVERINGS

FELT-BASE

COUNTER TOPS

SUNDRIES



play time

(down in the basement)

The floor in the smart basement TV-room above is one of several types of Armstrong Floors specially perfected for the do-it-yourselfer. Offering a wide range of handsome colors and interesting design effects, these resilient floors are easy for the home handyman to install with a few simple tools. They're economical in cost, too.

Floor is Armstrong Excelon Tile, Style 785.

Fixing up the basement is usually one of the most inexpensive ways to expand a house for entertaining. The gay colors of the Armstrong Floor in the basement at right delight the younger set—and cleaning up is no problem even after a party.

Floor is Armstrong Excelon Tile, Style 777, combined with Style 770.



LINOLEUM

PLASTICS

RESILIENT TILES

WALL COVERINGS

FELT-BASE

COUNTER TOPS

SUNDRIES





time for the family

The room above is a place for all the family to get together—where Mother isn't left out of things even while she's cooking dinner. The Armstrong Floor fits all the needs of each area—and it unites the whole room in a single smart decorative effect.

Floor is Armstrong Textelle Linoleum, Style 1555.

Multipurpose rooms are becoming more popular in American homes today. The kitchen-dining-family room on the left is a good example of what an Armstrong Floor can do for these busy rooms. The individual areas are set apart by the use of different floor colors, yet the over-all effect achieved is one of warmth and comfort.

Floor is Armstrong Excelon Tile, Style 762, combined with Style 765.

LINOLEUM

PLASTICS

RESILIENT TILES

WALL COVERINGS

FELT-BASE


COUNTER TOPS

SUNDRIES

Armstrong Linoleum is made in twelve distinct types. Each type is offered in a wide selection of designs and colors to meet almost any decorative requirement. Patterns range from unadorned plain colors to style effects of elaborate detail. The rich colors last the life of the material as they are inlaid and go all the way through to the backing.

For almost fifty years, Armstrong Linoleum has been accepted as the standard of quality among resilient flooring materials. Today, it is considered more than ever "The Modern Fashion in Floors" because of its high style and rich colorings. No other flooring material adapts itself so well to the design and color requirements of modern interior decoration. Any custom floor design that can be drawn can be effectively reproduced in one of the styles of Armstrong Linoleum.

In addition to its beauty and smart appearance, Armstrong Linoleum is a practical flooring, too. Its unusually smooth, virtually seamless surface is easy to maintain. Dirt does not easily adhere to its smooth surface. Spilled things, tracked-in dirt are quickly removed with a damp cloth. It's greaseproof, too. In addition, Armstrong Linoleum is resilient and quiet underfoot and has long been noted for its exceptional wearing qualities and easy care.



Armstrong

LINOLEUM

PLAIN Distinguished by its deep solid colors and its unusually smooth wearing surface. Color tones are related and contrasted for the greatest effectiveness in floor planning.	<i>see pages</i>	28-29
JASPE features a pleasing multitone striated graining which blends well with all types of interior design. The uniform graining makes seams practically invisible. In heavy gauge only. <i>see page</i>		31
DECORAY A smart floor styling noteworthy for its bold sweeps of color, in striated design. Styled and designed especially for residential interiors.	<i>see pages</i>	33-34
SUBURBAN A new budget-type standard gauge linoleum in marbleized and striated patterns. Meets F.H.A. specifications for standard gauge inlaid linoleum.	<i>see pages</i>	35-37
MARBELLE This practical floor styling features a non-directional graining which tends to conceal tracked-in dirt. Recommended for residential and commercial floors.	<i>see pages</i>	38-41
ROYELLE A refreshingly different pattern distinguished by its large sweeping veins of color. It provides a fine background for interiors where a colorful atmosphere is desired. . . .	<i>see pages</i>	42-44
TEXTELLE In this exclusive Armstrong Linoleum design, closely related color tones are combined to produce a feeling of unusual depth in a large, yet softly textured flagstone effect. <i>see pages</i>		45-48
SPATTER Originally designed for colonial-type homes, Spatter Linoleum is now equally popular as a flooring in modern and traditional, residential and commercial interiors. For additional underfoot comfort, six Spatter patterns are available in Cushion-Eze Back.	<i>see pages</i>	49-52
CRAFTLINE INLAID presents a distinctive textured styling in molded linoleum which offers a delightful change in resilient floor design. In tweed and textured carpet effects. . . .	<i>see pages</i>	53-56
EMBOSSSED INLAID This popular linoleum styling is an Armstrong exclusive. Its styling is produced by slightly depressing some portions of the design so that other portions stand out in relief. Made in a wide variety of interesting, colorful designs.	<i>see pages</i>	57-66
STRAIGHT LINE INLAID This Armstrong Linoleum style is noted for the clean-cut edges of the elements that make up the pattern. Available in two colorings.	<i>see page</i>	67
NEWRAY INLAID A new smartly styled flooring featuring geometric designs over a new "brush-stroked" background. Offers a custom-designed appearance at minimum cost. <i>see pages</i>		68-73



20 Brown

heavy (1/8") and standard gauge



21 Evergreen

heavy (1/8") and standard gauge



22 Dark Gray

heavy (1/8") gauge only



25 Terra Cotta

heavy (1/8") gauge only

Armstrong Plain Linoleum is distinguished by its smooth, even surface and deep uniform coloring. It is often used in areas where a striking single or contrasting color effect is desired; but more frequently it is used for special single color insets, feature strips, or borders to accent other types of linoleum floors. It is made in the five Regular or "battleship" colors shown here and in seven Special colors shown on page 29 in the gauges shown. The Special colors are slightly higher in price than the Regular colors.



27 Black


heavy (1/8") and standard gauge

Armstrong PLAIN LINOLEUM



heavy (1/8") and standard gauge

White 23



standard gauge only

Pearl Gray 24



standard gauge only

Cerulean Blue 34



heavy (1/8") and standard gauge

Chinese Red 39



standard gauge only

Fawn 45



standard gauge only

Canary Yellow 48



standard gauge only

Pink 50

Armstrong Plain Linoleum is available in one-inch-wide Linostrips in all colors and listed gauges.

Border material in 6", 9", and 12" widths is available only in Plain Black. Also in black Marbelle 021. In addition, border material in any width ranging from 3" to 24" can be furnished to order in any available color or gauge of Plain, Jaspé, Decoray, Royelle, Marbelle, Suburban, and Spatter Linoleum in rolls up to 30 feet in length.

Armstrong PLAIN LINOLEUM



415 Blond Tan



416 Mist Green



420 Brown

Armstrong Desk Top Linoleum is made for use on desks, tables, counters and other areas where a smooth, wear-resisting resilient work surface is needed. It has a satin-smooth finish, is lacquer-treated for easy maintenance. Armstrong Desk Top Linoleum is made in five colors—three plain patterns and two Jaspé stylings. The pastel Jaspé colorings were especially developed to combat eye fatigue. They lessen the light contrast between the desk top and paper work lying on it, and thus greatly reduce eyestrain. Armstrong Desk Top Linoleum is manufactured in rolls 2 yards wide and in .080" thickness.



421 Green



426 Gray

Armstrong DESK TOP LINOLEUM

2 yards wide



heavy (1/8") gauge

Apple Green 1



heavy (1/8") gauge

Light Taupe 4



heavy (1/8") gauge

Driftwood Gray 13



heavy (1/8") gauge

Malay Brown 16

Armstrong JASPÉ LINOLEUM



1800 light gauge



1801 light gauge



1802 light gauge



1803 light gauge

Armstrong DECORAY LINOLEUM



light gauge

1804



light gauge

1805



light gauge

1806



light gauge

1807

Armstrong DECORAY LINOLEUM



1810

light gauge



1811

light gauge



1812

light gauge



1813

light gauge

Armstrong DECORAY LINOLEUM



standard gauge

10000



standard gauge

10001



standard gauge

10002

Armstrong Linoleum is one of the most practical of today's carefree modern flooring materials. It is so easy to clean and to keep clean. It does away with the old-fashioned "down-on-your-knees" way of cleaning, for its smooth, virtually seamless surface doesn't give dirt a chance to stick or hide. Spilled things and tracked-in dirt wipe up easily and quickly. And between cleanings, many of the styles of Armstrong Linoleum actually keep dust and dirt from showing.

Good examples of this practicality are the two stylings shown in Armstrong Suburban Linoleum. The bold graining of the marbled and striated patterns helps camouflage footsteps, dirt, and dust making them ideal choices for just about any room in the home subject to traffic. Armstrong Suburban Linoleum also offers decorating opportunities. Both styles are color-keyed—each marbled coloring matches a striated coloring so that the two styles can be used together.

Armstrong SUBURBAN LINOLEUM



10003

standard gauge



10004

standard gauge



10050

standard gauge



10051

standard gauge

Armstrong SUBURBAN LINOLEUM



standard gauge

10052



standard gauge

10053



standard gauge

10054

Versatility of color and design is another important consideration in the selection of a resilient flooring. No matter what color or style decoration theme, there's an Armstrong Linoleum Floor to add just the right finishing touch to the room.

Armstrong Suburban Linoleum, one of the newest Armstrong Linoleum styles, offers both smart coloring and styling at a very modest cost. It is made in two stylings—marbleized and a modern striated design to provide just the right amount of accent color to the interior and its furnishings. Both stylings are color-keyed—each marbleized coloring matches a striated coloring so that the two styles can be used together for greater decorative effect.


Armstrong Suburban Linoleum is available in Standard Gauge only and meets F.H.A. specifications for standard gauge linoleum. Made in rolls 2 yards wide.

Armstrong SUBURBAN LINOLEUM



04

standard and light gauge



08

heavy (1/8"), standard, and light gauge



09


heavy (1/8"), standard, and light gauge



014

heavy (1/8") and standard gauge

Armstrong MARBELLE LINOLEUM



standard and light gauge

015



heavy (1/8") gauge only

018



heavy (1/8"), standard, and light gauge

021



standard and light gauge

029

Armstrong MARBELLE LINOLEUM




030

heavy (1/8"), standard, and light gauge



036

heavy (1/8") gauge only



042

standard and light gauge



047

standard and light gauge

Armstrong MARBELLE LINOLEUM




standard and light gauge

048



standard gauge only

049



standard gauge only

050

Custom-designed floors add to the beauty and eye-appeal of interiors of every type and style. The versatility and flexibility of Armstrong Linoleum offer many opportunities for unique design effects since it is possible to transcribe almost any design that can be drawn on paper to the floor.

Armstrong Marbelle Linoleum is an ideal floor for custom-design work. It forms a perfect background for insets of all types featuring other linoleum styles. The distinctive non-directional marbleization helps accent the custom design and gives the entire floor area the right amount of color to tie-in the room's furnishings. For striking allover floors, two or more colors of Armstrong Marbelle Linoleum can be combined in one area.

Armstrong Marbelle Linoleum is a very practical floor styling, too. Its swirl marbleizing tends to conceal tracked-in dust and dirt until the floor can be cleaned by sweeping or light mopping. It is grease-proof and offers exceptional long wearing qualities.

Armstrong MARBELLE LINOLEUM



1500

standard gauge



1501

standard gauge



1502

standard gauge



1503

standard gauge

Armstrong ROYELLE LINOLEUM



standard gauge

1508




standard gauge

1509



standard gauge not made in 24" width

1516



standard gauge

1520

Armstrong ROYELLE LINOLEUM



1521

standard gauge



1522

standard gauge

Color is all-important in today's decorating—furnishings, fabrics, walls, and even the floors work together to give rooms unusual color, beauty, and distinction. In planning any interior, the floor should be given the first consideration since it's the largest single color area. The variety of styles offered in Armstrong Linoleum presents many interior decoration opportunities because it provides wall-to-wall color that sets the room's color scheme and holds it together decoratively.

Armstrong Royelle Linoleum, one of the newer stylings, brings a bold dash of color and interest to room settings. Its sweeping veins of color spark many decorating ideas that can be carried out in the room's furnishings.


It can be used effectively as it comes from the roll in either 2-yard or 2-foot widths, or custom designed to fit a particular idea or room design. The two-foot width developed for home installation makes it easy for the home mechanic to install beautiful floors.



1523

standard gauge


Armstrong ROYELLE LINOLEUM




heavy (1/8") gauge 1550



Armstrong TEXTELLE LINOLEUM



1551 heavy (1/8") gauge



1552 heavy (1/8") gauge

 **Armstrong** TEXTELLE LINOLEUM



heavy (1/8") gauge 1553



heavy (1/8") gauge 1554

Armstrong TEXTELLE LINOLEUM

2 yards wide



1555 heavy (1/8") gauge



1556 heavy (1/8") gauge

Armstrong TEXTELLE LINOLEUM




5000 Fiesta White standard gauge 95000
with Armofelt Back with Cushion-Eze Back

Armstrong Spatter Linoleum is one of today's most popular floor stylings. The colorful, carefree Early American spatterdash design gives interiors a smart, yet informal atmosphere. In addition to its gay appearance, the random multicolored dot effect and richly colored backgrounds offer fresh approaches to interior decorating.


As a practical feature, the irregular arrangement of the dots over the textured background helps hide tracked-in dirt and dust until cleaning time. Spatter Linoleum wears and wears, because the inlaid colors, dots included, go right through to the backing.

Offering new luxury in underfoot comfort, six Spatter patterns, indicated with the figure 9 preceding the pattern number, are available with the new exclusive Armstrong Cushion-Eze Back. This exclusive backing consists of a foam layer backing which actually supports the linoleum floor on little air bubbles—giving the feeling of walking on air. The indentation resistance of Cushion-Eze backed linoleum is the same as Armofelt Back—75 pounds per square inch.


Armstrong SPATTER LINOLEUM




5004 Granada Gray standard gauge 95004
with Armofelt Back with Cushion-Eze Back



5005 Cortez Yellow standard gauge




5007 Tuscany Tan standard gauge




5014 Toledo Taupe standard gauge 95014
with Armofelt Back with Cushion-Eze Back

Armstrong SPATTER LINOLEUM




5018 Amarillo Gray

standard gauge




5019 Malaga Green standard gauge
with Armofelt Back

95019
with Cushion-Eze Back



5022 Culebra Copper


standard gauge



5024 Carboneras Pink

standard gauge

Armstrong SPATTER LINOLEUM




5025 Sevilla Sand standard gauge
with Armofelt Back

95025
with Cushion-Eze Back



5026 Madrigal Taupe

standard gauge



5027 Almeria Turquoise

standard gauge



5028 Coruna Gray standard gauge
with Armofelt Back


95028
with Cushion-Eze Back

Armstrong SPATTER LINOLEUM



standard gauge


5110



standard gauge

5112

Armstrong CRAFTLINE INLAID LINOLEUM



5140

standard gauge



5141

standard gauge

Armstrong CRAFTLINE INLAID LINOLEUM



standard gauge

Constellation 5150



standard gauge

Constellation 5151

Armstrong CRAFTLINE INLAID LINOLEUM

2 yards wide

55

PLASTICS

RESILIENT TILES

WALL COVERINGS

FELT-BASE


COUNTER TOPS

SUNDRIES



5160 Polka Dot

standard gauge



5161 Polka Dot


standard gauge

Armstrong CRAFTLINE INLAID LINOLEUM



standard gauge

5300




standard gauge

5310

Armstrong EMBOSSED INLAID LINOLEUM

2 yards wide



5311


standard gauge



5321


standard gauge

Armstrong EMBOSSED INLAID LINOLEUM



standard gauge


5351



standard gauge


5352

Armstrong EMBOSSED INLAID LINOLEUM



5390


standard gauge



5392

standard gauge

Armstrong EMBOSSED INLAID LINOLEUM



standard gauge

5393



standard gauge

5490

Armstrong EMBOSSED INLAID LINOLEUM

2 yards wide

61

PLASTICS


RESILIENT TILES

WALL COVERINGS

FELT-BASE

COUNTER TOPS

SUNDRIES



5491

standard gauge



5500


standard gauge

Armstrong EMBOSSED INLAID LINOLEUM



standard gauge

5501



standard gauge

5510

Armstrong EMBOSSED INLAID LINOLEUM

2 yards wide

63

PLASTICS


RESILIENT TILES

WALL COVERINGS

FELT-BASE


COUNTER TOPS

SUNDRIES



5511

standard gauge



5520

standard gauge

Armstrong EMBOSSED INLAID LINOLEUM



standard gauge 5521



standard gauge 5530

Armstrong EMBOSSED INLAID LINOLEUM




5792 standard gauge



5793 standard gauge

Armstrong EMBOSSED INLAID LINOLEUM



standard gauge—size of blocks—9" x 9" 1690



standard gauge—size of blocks—9" x 9" 1693

Armstrong STRAIGHT LINE INLAID LINOLEUM




1850 light gauge




1851 light gauge

Armstrong NEWRAY INLAID LINOLEUM




light gauge 1852




light gauge 1855

Armstrong NEWRAY INLAID LINOLEUM




1860 light gauge



1861 light gauge

Armstrong NEWRAY INLAID LINOLEUM



light gauge 1862



light gauge 1863

Armstrong NEWRAY INLAID LINOLEUM




1870 light gauge



1871 light gauge

Armstrong NEWRAY INLAID LINOLEUM



light gauge 1872



light gauge 1873

Armstrong NEWRAY INLAID LINOLEUM

2 yards wide

Combining the rugged durability of vinyl plastic with rich, clear colors, Armstrong Plastic Floors offer unlimited opportunities to create interiors of unusual beauty.

Armstrong Plastic Floors are available in both sheet and tile form. The sheet material, Armstrong Corlon, is made in five distinct types and in a variety of designs. The tiles, Armstrong Excelon, Estate Corlon and Custom Corlon, are illustrated in the resilient tile section, pages 92 to 119.

Each of these Armstrong Plastic Floors offers all the practical advantages found in vinyl plastics. Rich, fade-resisting color, exceptional long wear and easy maintenance, and the high resistance to the harmful action of oil, grease, alkali and household chemicals are a few of the outstanding qualities.

All types of sheet Corlon can be installed over suspended subfloors. Certain patterns of sheet Corlon are available with the exclusive Armstrong Hydrocord back which permits installation over grade-level subfloors. See page four for description of Hydrocord.

Mosaic Corlon, another exclusive Armstrong sheet plastic styling, is available in Cushion-Eze foam back. This new Armstrong development, described on page four, offers the ultimate in underfoot comfort, quiet and luxury.

The logo consists of the word "Armstrong" in a bold, dark blue, sans-serif typeface. The letter "A" is enclosed within a thin, dark blue circular outline.

PLASTICS

GRANETTE CORLON is a colorful sheet plastic flooring combining the rich beauty of plain colors with softly blended textured graining. Offered in a variety of pastel colors in six foot width only. Ideal for counter tops as well as floors.see pages 76-77

TERRAZZO CORLON has all the beauty of classic terrazzo with its multicolored stone chip effect. Available in the six foot width and in a wide selection of color combinations. Some patterns feature the Hydrocord back for grade-level installationsee pages 78-82

DECORESQ CORLON is another Armstrong exclusive in sheet plastic flooring in the six foot width. It is a molded plastic featuring patterns of textured and geometric effects. Available in a choice of distinctively smart designs and colors.see pages 83-85

MOSAIC CORLON offers a striking plastic floor design adapted from the artistic effects of hand-crafted mosaic tile floors. It is made with Armofelt back and with the new exclusive Armstrong Cushion-Eze foam back described on page four. Mosaic Corlon is available in the six foot width in a wide selection of color harmonized patterns.see pages 86-88

ESTATE CORLON is a vinyl plastic flooring featuring a soft, modern striated design. In addition to its use as a flooring, Estate Corlon can be used as a counter top surface. Available in 24", 30", 42", and 2 yard widths. Ideal for self-installation.see pages 89-91

EXCELON TILE Resilient tile sectionsee pages 101-104

ESTATE CORLON TILE Resilient tile sectionsee page 114

CUSTOM CORLON TILE Resilient tile sectionsee pages 111-113

PLASTICS

RESILIENT TILES

WALL COVERINGS

FELT-BASE

COUNTER TOPS


SUNDRIES




6180



6181



6182



6183

Armstrong GRANETTE CORLON




6184



6185




6186



6187

Armstrong GRANETTE CORLON






6200

Armofelt back

86200

Hydrocord back



6201

Armofelt back

86201

Hydrocord back



6202

Armofelt back


86202

Hydrocord back

Armstrong Terrazzo Corlon offers distinct decorator advantages. Its small-scale design features small chips of bright, clear colors scattered over richly colored backgrounds. These accent colors are inlaid into the material and are part of the vinyl wearing surface. The over-all appearance of this vinyl plastic flooring is that of classic terrazzo and provides a colorful foundation for almost any type interior. Terrazzo Corlon is a practical floor, too. It is easy to maintain and is long wearing.

The Terrazzo patterns identified with a figure 8 before the pattern number can be specified for on-grade installation. These patterns are supplied with the new exclusive Armstrong Hydrocord back described on page four. Hydrocord back is not affected by alkaline moisture and can be safely installed on any grade-level subfloor. Terrazzo with the Hydrocord back is installed with Armstrong S-235 Hydrocord Cement.

Armstrong TERRAZZO CORLON



6203

Armofelt back

86203

Hydrocord back



6204

Armofelt back only



6205

Armofelt back

86205


Hydrocord back



6207

Armofelt back only

Armstrong TERRAZZO CORLON



6208
with Armofelt Back


86208
with Hydrocord Back



6209
with Armofelt Back only




6210
with Armofelt Back only




6211
with Armofelt Back only

Armstrong TERRAZZO CORLON



6212
with Armofelt Back only




6213
with Armofelt Back

86213
with Hydrocord Back



6214
with Armofelt Back


86214
with Hydrocord Back



6215
with Armofelt Back

86215
with Hydrocord Back

Armstrong TERRAZZO CORLON




6300

with Armofelt Back

86300

with Hydrocord Back



6301

with Armofelt Back

86301

with Hydrocord Back

Armstrong DECORESQ CORLON



6320


with Armofelt Back only



6321


with Armofelt Back only

Armstrong DECORESQ CORLON



6340

with Armofelt Back only



6341

with Armofelt Back only

2 yards wide

Armstrong DECORESQ CORLON


RESILIENT TILES

WALL COVERINGS

FELT-BASE

COUNTER TOPS

SUNDRIES



6500

with Armofelt Back

96500

with Cushion-Eze Back

Armstrong Mosaic Corlon is a striking new plastic floor style. Its design is adapted from the artistic effects of handcrafted mosaic tile floors. Small squares of deep, rich color are scattered in profusion to form a dramatic floor design. Its decorative beauty is further enhanced by the delicate color variations within the squares. While informal in appearance, Mosaic Corlon is adaptable to many interiors.


Armstrong Mosaic Corlon is manufactured by the molded process which inlays each square of color directly into the wearing surface of the material. It is made from vinyl plastic compounds developed by Armstrong to make this floor dimensionally stable, long wearing, easy to clean and resistant to alkali, greases, oils, and household chemicals.

Armstrong Mosaic Corlon is offered in two exclusive Armstrong backings — Armofelt and Cushion-Eze. Both types can be installed over suspended wood and concrete subfloors. See page 4 for description.



In addition to its distinctive design, Armstrong Mosaic Corlon features the exclusive Armstrong Cushion-Eze Back. Cushion-Eze is a layer of foam applied to the back of the material which actually gives a feeling of walking on air.

Armstrong MOSAIC CORLON



6501

with Armofelt Back

96501

with Cushion-Eze Back



6502

with Armofelt Back

96502

with Cushion-Eze Back




6503

with Armofelt Back

96503

with Cushion-Eze Back




6504

with Armofelt Back

96504

with Cushion-Eze Back

Armstrong MOSAIC CORLON



6505

with Armofelt Back

96505

with Cushion-Eze Back




6506

with Armofelt Back

96506

with Cushion-Eze Back




6507

with Armofelt Back

96507

with Cushion-Eze Back



6508

with Armofelt Back

96508

with Cushion-Eze Back

Armstrong MOSAIC CORLON



6400



6401



6402

Armstrong Estate Corlon is a new styling in Armstrong vinyl plastic floors. It features a distinctive striated design with soft sweeping veins of color which gives the floor an allover effect of good taste and clean-cut styling. Estate Corlon lends itself well to almost any type of interior decoration and can be also used as a vinyl plastic counter-top material.

Where limited budget is an important consideration, Estate Corlon offers all of the service and maintenance advantages of Armstrong Terrazzo and Decor-esq Corlon at minimum cost. It is dimensionally stable, has high resistance to household greases and alkalis, and is exceptionally easy to maintain.

Armstrong Estate Corlon is made in eleven attractive patterns in four widths—24" for home mechanics, 30" and 42" for counter-top use, and 2 yards wide for professional installation. It is also available in 9" x 9" tiles as shown in the resilient tile section.

Armstrong ESTATE CORLON



6403



6404



6405



6406

Armstrong ESTATE CORLON



6407



6408



6409



6410

Armstrong ESTATE CORLON

Armstrong Resilient Tiles offer a variety of fashionable floors developed and designed to meet particular flooring requirements. Each type combines colorful beauty and exceptional durability together with the characteristics needed to solve certain floor problems. Regardless of the characteristics of the individual products each is manufactured with the same high-quality standards which make them exceptional values.

In addition to their beauty and service qualities, Armstrong Resilient Tiles offer freedom of design and the advantages of custom designing at no added cost. Tile designs can be planned especially for a particular room. Large designs in several colorings may be used in large areas. Simple designs are more effective in small rooms. Transverse stripes are used to make a room appear wider. Stripes running the length of the room make it appear longer. A few design ideas and suggestions are shown in this section.

The selection of an Armstrong Resilient Tile Floor should depend on just what job the floor is to do. Cost, appearance, wear, maintenance, and floor area are all important considerations. The wide selection of types available in these quality resilient tiles makes it possible to select a flooring to suit any need or decorative preference.



Armstrong

RESILIENT TILES


- ASPHALT TILE A colorful, long-wearing floor for use over suspended, grade-level and below-grade areas where low cost is a prime factor *see pages* 94-100
- EXCELON TILE An exclusive Armstrong vinyl-asbestos flooring for use over all types of sub-floors. Economical and resistant to grease, alkali, and household chemicals *see pages* 101-104
- CORK TILE Handsomely grained flooring featuring all the beauty of natural cork. For suspended floors and some grade-level floors. Offered in three types — Regular, Custom Cork, and the new Custom Vinylcork styling *see page* 105
- RUBBER TILE A richly styled flooring for use in areas where a smart, luxurious appearance is desired. Can be used over suspended, grade-level and below-grade subfloors . *see pages* 106-108
- LINOTILE A beautiful resilient flooring unmatched for long wear and ease of maintenance. Has exceptionally high resistance to indentation and abrasion. For suspended floors only. Exclusive with Armstrong *see pages* 109-110
- CUSTOM CORLON TILE An exclusive Armstrong Flooring which offers the ultimate in beauty and luxury. Can be used over suspended, grade-level and below-grade subfloors. Offered in two styles — Burl Grain and Imperial *see pages* 111-113
- ESTATE CORLON TILE Sheet Corlon offered in 9" x 9" tiles *see page* 114
- DECORAY LINOLEUM TILE Decoray Linoleum offered in 9" x 9" tiles *see page* 115
- ROYELLE LINOLEUM TILE Royelle Linoleum offered in 9" x 9" tiles *see page* 116
- SUBURBAN LINOLEUM TILE Suburban Linoleum offered in 9" x 9" tiles *see page* 117




†A-200 Pompeian Red



†A-210 Black




D-900 Ivory




C-902 Foam Green


G2-902



B-905 Ebony



C-907 Jasper Green




D-911 Seaspray Green




B-918 Cedar

G2-918



B-919 Tokay


Armstrong Asphalt Tile is a long-wearing resilient floor especially designed for homes, offices, stores, and other areas where low cost is an important factor. In addition to its economy, it has handsome styling and rich coloring which combine to make up a floor of outstanding beauty. Precision die-cut for perfectly straight edges and square corners, it can be installed with tight seams to form a smooth, easy-to-maintain floor. Its resistance to alkaline moisture makes it an ideal flooring for basements and grade-level areas as well as for suspended floors. Armstrong Asphalt Tile is available in four distinct stylings—Standard (straight grain), Spatter, Woodtone and Corkstyle. Standard and Woodtone are made in 1/8" and 3/16" gauges. Spatter and Corkstyle are available in 1/8" gauge only. All are offered in 9" x 9" tiles. Greaseproof is available in selected colors prefixed "G2".




C-924 Cinnabar

G2-924

Armstrong ASPHALT TILE




G2-926 Palomino Beige C-926




Goldenrod D-927




Antique Green B-935



Tennessee D-942




G2-944 Pewter Gray C-944




Pearl Gray C-946




Gray Taupe C-947



Lagoon Blue D-952



Cameo Gray C-961



Corinthian Red D-964



Light Woodtone D-970



Dark Woodtone C-971

Armstrong ASPHALT TILE

1/8" and 3/16" gauges
9" x 9"




974 Blond Corkstyle




975 Light Corkstyle




976 Dark Corkstyle




D-990 Gardenia—spatter series




C-991 Gray Dawn—spatter series




B-992 Onyx Black—spatter series



C-993 Sandrift—spatter series




B-994 Cordovan—spatter series




C-995 Cactus Green—spatter series



D-996 Golden Yellow—spatter series



C-997 Charcoal—spatter series



D-998 Pink—spatter series

Armstrong ASPHALT TILE

1/8" gauge only
9" x 9"



Wild Duck 500



Cocktail 501



Compass 502



Sunburst 506



Target 508



Anchor 510



Pointer 511



Champagne 514



Top Hat 515



Sailboat 516



Sailfish 517




Four Aces 520



Siesta 521



Lyric 522



Sandtrap 523



Palm Tree 524

Armstrong Asphalt Die-Cut Insets offer many opportunities to give residential and commercial floors an air of individuality at low cost. These factory die-cut insets are available in the colors illustrated in 18" x 18" size only and in both 1/8" and 3/16" gauges. They can also be ordered in the special inset colors shown on page 98 at a slight added cost.

Armstrong Asphalt Die-Cut Insets are also made in alphabet characters, numerals, punctuation marks, and traffic directors. These are available in any two colors of asphalt tile. All backgrounds are 9" high—inset widths in proportion to character widths.

Basketball court units are also available in Die-Cut Insets. Each court unit consists of all official straight lines and restraining circles in plain white, yellow, or black colors and in sizes to meet requirements of college, high school, and junior high school courts.

Armstrong ASPHALT TILE DIE-CUT INSETS

1/8" and 3/16" gauges
18" x 18"



A-200 Pompeian Red



C-204 Venetian Red



A-210 Black



D-231 Regal Blue



D-235 Azure Blue



D-246 Yellow



C-251 Dark Green



C-257 Light Green



C-265 Light Gray



C-266 Steel Gray



D-270 White



D-275 Garnet

These solid colors are available for use in custom, standard hand-cut, and die-cut insets. The hand-cut insets shown on page 99 may be ordered in any combination of these inset colors. Factory die-cut insets can be had in these colors at a slight added cost.

Five of them, Nos. D-231, D-235, C-251, C-265, and C-266, are made especially for inset work and are not supplied for field tile, borders, or feature strips. Nos. C-204, D-246, C-257, D-270, and D-275 are available as feature strips and insets but not as field tile or border material.

Armstrong Asphalt Tile Inset Colors are made in both 1/8" and 3/16" gauges.

The Shuffleboard inset shown at right is factory die-cut, available only in the colors illustrated.



560 Standard Shuffleboard Unit

Armstrong ASPHALT TILE INSET COLORS




Florist Delivery 580

sizes 27", 36", and 63"
2 colors



Cocktail 581

sizes 27", 36", and 63"
4 colors



Dental Caduceus 582

sizes 18", 27", 36", and 63"
5 colors



Script Initials 583

sizes 18", 27", and 36"
2 colors



Medical Caduceus 585

sizes 18", 27", 36", and 63"
3 colors



Men's Shop Design 586

sizes 18", 27", 36", and 63"
5 colors



American Legion 587

sizes 27", 36", and 63"
3 colors



Elks Lodge Emblem 588

sizes 27", 36", and 63"
4 official colors




Standard Monograms 589

sizes 18", 27", and 36"
2 colors




Mortar and Pestle 590

sizes 18", 27", 36", and 63"
3 colors



16-Point Compass 591

sizes 18", 27", 36", and 63"
4 colors



Anchor 593

sizes 18", 27", 36", and 63"
3 colors



Treble Clef 594

sizes 18", 27", 36", and 63"
3 colors



Manhattan 599

sizes 18", 27", and 36"
3 colors

Armstrong Standard Hand-Cut Insets are available in certain popular trade-marks, monograms, and insignia. They may be ordered in any of the solid inset colors shown on page 98 at no extra cost. In addition to the insets shown here, modern block or script alphabet characters are also made in Asphalt Tile Standard Hand-Cut Insets.

Sizes available are 9" x 9", 12" x 12", and 18" x 18". Limit one character to each block.

Armstrong ASPHALT TILE STANDARD HAND-CUT INSETS

1/8" and 3/16" gauges




TOP-SET ASPHALT COVE BASE

Armstrong Top-Set Asphalt Cove Base makes a practical non-dirt-catching baseboard treatment for all kinds of resilient floors. It is available in 4" and 6" heights in sections 48" and 36" long. Made of a thermoplastic composition, Armstrong Top-Set Asphalt Cove Base can be fitted around curves and sharp corners by heating the material slightly on the job. Available in the two colors shown below.




CB-206 Havana



CB-210 Black



C-204 Venetian Red



A-210 Black



C-257 Light Green



D-246 Yellow



D-270 White

ASPHALT TILE FEATURE STRIPS

These striking colors are used to accent floors of Armstrong Asphalt Tile. Available in the six colors shown in strips 1" wide and 24" long. 2" and 3" in widths made on special order.



D-275 Garnet

ASPHALT BEVELED EDGING S-18

For finishing exposed edges of asphalt tile floors at entrances and doorways. Made in strips 1/8" or 3/16" thick, 1" wide and 36" long. Available in black only.




Armstrong CONDUCTIVE ASPHALT TILE


Armstrong Conductive Asphalt Tile minimizes the danger of explosions caused by static electrical discharges. This safety feature makes it especially suitable for industrial areas where explosion hazards exist. It has a smooth, non-dusting and non-sparking surface. It may be installed on suspended and grade-level floors but should not be used below grade. Where both grease and static electricity are problems, Armstrong Greaseproof Conductive Tile should be used. Both types are available in 18" x 24", 1/8" and 3/16" gauges, black only.

Armstrong Conductive Asphalt Tile meets all the requirements listed in U. S. Government Safety Bulletins for powder plants. However, it should not be used in hospital operating rooms or paint spray rooms.


Armstrong ASPHALT TILE ACCESSORIES




spatter series — Andover White 735




spatter series — Bedford Gray 736




spatter series — Cape Cod Beige 737




spatter series — Lexington Green 738




spatter series — Providence Charcoal 739




spatter series — Arlington Cedar 740



spatter series — Exeter Red 741



spatter series — Concord Yellow 742



spatter series — Norwich Turquoise 743

Armstrong Excelon Tile is a specially formulated plastic tile consisting of pure vinyl resins fortified with asbestos fibers. While it is priced considerably under the other Armstrong plastic tiles, Excelon Tile has many practical advantages. It can be installed over suspended, on-grade and below-grade concrete floors as well as suspended wood floors. It has high resistance to grease, oils, alkali and household chemicals.


Excelon Tile is offered in five distinct stylings—Spatter, Standard (straight grain), Woodtone, Cork-

style, and Designers Series. In each of these stylings the colors are selected to accent or harmonize with almost any decorative scheme. In addition to their rich brilliance, these colors are also fade resistant.


Excelon Tile offers many opportunities for unusual floor treatments. Because all patterns are color harmonized, it is possible to combine stylings and colors for striking floor effects. Excelon Tile is ideal for home installation since the Service Gauge can be cut with scissors. Available in the gauges indicated.

Armstrong EXCELON TILE

9" x 9"
service gauge only



*744 Bangor Copper



*745 Plymouth Pink



760 Mint Green—*designers series*



761 Silver Gray—*designers series*



762 Sand Beige—*designers series*



763 Rose Taupe—*designers series*




764 Mauve Taupe—*designers series*



765 Sienna Copper—*designers series*




770 Seneca White



771 Mohawk Gray




772 Comanche Black



774 Seminole Yellow

Armstrong EXCELON TILE



Aztec Gray 775



Cherokee White 776




Apache Red 777




Pawnee Beige 778



Mohican Cedar 779



Osage Green 780




Navajo Gray 781



Sioux Pink 782



Iroquois Tan 783



Choctaw Green 784



Zuni Brown 785



Mohave Charcoal 786

Armstrong EXCELON TILE

9" x 9"

1/8" and service gauges

WALL COVERINGS


FELT-BASE

COUNTER TOPS

SUNDRIES



787 Powhatan Turquoise



788 Light Woodtone



789 Dark Woodtone



*797 Medium Corkstyle



*798 Light Corkstyle



*799 Dark Corkstyle

9" x 9"
1/8" and service gauges
*service gauge only



790 Plain Black



791 Plain White



792 Plain Red



793 Plain Yellow




794 Plain Green



795 Plain Brown

Armstrong Excelon Feature Strips are made 24" long and 1" wide, in 1/8" and 1/16" Service Gauge. Feature strips are used various ways to individualize Excelon Tile Floors.



**EXCELON BEVELED
EDGING S-19**
Service Gauge, 1" wide.
Plain Black only

Armstrong EXCELON FEATURE STRIPS



Mocha Tan 410
Beveled and square edge



Coconut Brown 411
Beveled and square edge



Design 1300



Design 1010



Light 1005

CORK TILE

The softly blended natural cork tones of Armstrong Cork Tile make an ideal base for modern and conventional decorating schemes. In addition to its use over suspended floors, Armstrong Cork Tile can be installed on grade level if installed according to Armstrong installation specifications.

CUSTOM CORK TILE

Armstrong Custom Cork Tile offers opportunities to create interesting custom effects in this rich-looking flooring. The special factory-packaged tile sizes can be combined to form a variety of attractive floor designs at standardized prices.

The 1300 series consists of 3" x 12" square-edged rectangles equally divided between light and dark shades. These tiles can be used to form a number of highly decorative floor designs.

The 1010 series consists of light-colored nine-inch octagonal tiles and dark three-inch squares to create a handsome over-all custom floor effect.

CUSTOM VINYLKORK TILE

Armstrong Custom Vinylcork Tile combines easy maintenance qualities of vinyl with the rich beauty of natural cork. The vinyl binders are fused to the cork particles under tremendous pressure. This molds them into a flooring material of unusual beauty and high resistance to wear and indentation. Armstrong Custom Vinylcork Tile features large cork particles which give the floor an entirely new and dramatic appearance. A final vinyl coating is fused over the wearing surface and edges to give it additional beauty and long wear. In 9" x 9" beveled tile, 1/8" gauge.

Cork Tile—1/8", 3/16", and 5/16" gauges
Custom Cork Tile—3/16" gauge
Custom Vinylcork Tile—1/8" gauge beveled


Armstrong CORK TILE



609 Ecruette



610 Beige Taupe



611 Coralette



613 Black White



614 Charcoal Pink



622 Grecian Pink

Armstrong Rubber Tile is distinguished by its clear brilliance of color and the decorative beauty of its burl graining. It is especially appropriate for today's decorating trends which favor use of bright, yet softly toned, colors in richly styled interiors.

Armstrong Rubber Tile is made of high-grade rubber, reinforced for greater durability and long wear. The colors go all the way through each tile and won't wear off or lose their luster. This tough resilient floor will take furniture loads up to 200 pounds per square inch without indenting. The natural resilience of high-quality rubber is retained in the manufacture of Armstrong Rubber Tile. Its cushioning action makes the floor comfortable to stand on and helps to muffle the sound of footsteps.

Armstrong Rubber Tile can be installed on grade level with Armstrong No. S-104 Chemical-Set Waterproof Cement or No. S-235 On-Grade Cement. It can also be installed below grade when Armstrong S-104 Chemical-Set Cement is used.



Armstrong RUBBER TILE

1/8" and 3/16" gauges
6" x 6", 9" x 9", 12" x 12", 18" x 36"



Napoleon Gray 625



designers series—Opal Taupe 630




designers series—Mist Green 631



designers series—Puritan Gray 632



designers series—Mauve Blush Tan 633



designers series—Blue Turquoise 634



designers series—Ember Copper 635




designers series—Mimosa Yellow 636




designers series—Gray Blue 637



Cypress Green 649




White Jade Green 651



Jade Green White 652

Armstrong RUBBER TILE


1/8" and 3/16" gauges
6" x 6", 9" x 9", 12" x 12", 18" x 36"




653 White Black



656 Silver Gray



664 White Ruby Red



665 Ruby Red White



695 Plain Black

In any fine interior, a floor of Armstrong Rubber Tile provides a rich background for the furnishings. Available in 6" x 6", 9" x 9", 12" x 12", and 18" x 36" tile sizes in both 1/8" and 3/16" gauges.


Armstrong Top-Set Rubber Cove Base is made in 4" and 6" heights and 36" long. De Luxe Plain Colors, marked with an asterisk (*) are made in 4" height only. Internal corners and end pieces are molded to straight sections. External corners are supplied separately.



Left internal corner
or end stop



Right internal corner
or end stop



CB-609 Ecrulette




CB-652 Jade Green White



CB-656 Silver Gray



CB-665 Ruby Red White



CB-695 Plain Black



*CB-696 Plain Gray



*CB-697 Plain Red




*CB-698 Plain Green




*CB-699 Plain Brown


Armstrong TOP-SET RUBBER COVE BASE




Graphite Gray 169




Ruby Gray 170




Rainbow 171



Sultan Red 172



Mistglow 173



Sunglow 174



Cocoa Verde 175

Armstrong Linotile is noted for its exceptional durability and ease of maintenance. It is specially processed for superior resistance to abrasion and indentation, and should not be confused with linoleum cut into blocks. The wearing surface goes all the way through to the back of the material.

6" x 6", 9" x 9", 12" x 12", 18" x 36"
1/8" gauge only


Armstrong LINOTILE



176 Beige Antique




177 Landscape Green




178 Alabaster



180 Jet Black



183 Travertine



185 Rose Gray



186 Palmetto Green—*designers series*



187 Manila Tan—*designers series*




189 Sirocco Taupe—*designers series*



190 Tawny Copper—*designers series*



191 Old Ivory—*designers series*




**LINOTILE
BEVELED
EDGING
S-17**


Linotile Beveled Edging is used for finishing exposed edges of all types of resilient floors. It is made in 1/8" gauge only, 1" wide and 36" long, in all Linotile colors. Tapers to 1/32" on the edge.

Armstrong LINOTILE

6" x 6", 9" x 9", 12" x 12", 18" x 36"
1/8" gauge



Carrara White 460



Trieste Gray 461



Imperial Black 462



Copra Taupe 467



Aspen Green 469



Lava Taupe 470



Desert Taupe 471



Mist Gray 472



Laurel Pink 473



Sahara Beige 474

Armstrong Custom Corlon Tile has been especially designed for interiors where an exceptionally rich and luxurious appearance is desired. It is made of the finest vinyl plastic resins and calendered to an almost unmatched sheen. Its distinctive beauty makes an elegant background for all types of luxurious furnishings. It is made in two stylings—Burl grain and Imperial.

In addition to its elegant appearance, Custom Corlon Tile has many outstanding service qualities. It has exceptional durability and is highly resistant to indentation, alkali, grease, household chemicals and alcohol. It can be installed over suspended, on-grade, and below-grade subfloors.

Armstrong CUSTOM CORLON TILE

6" x 6", 9" x 9", 12" x 12", 18" x 36"
3/32" and 1/8" gauges



475 Empire Yellow



476 Ecru Beige




477 Bordeaux Red



Imperial series in Armstrong Custom Corlon Tile is a beautiful new high style design. It reflects an unusually smart and dignified appearance. The subtle terrazzo design and satin-like finish make it easily adaptable to a wide range of interior decorating schemes in residences, stores, offices, and public buildings. In addition to its dignified appearance, the exclusive satin-matte finish helps minimize floor care.

The background colors of Imperial Custom Corlon blend harmoniously with one another so that striking floor effects can be produced by combining one or more colors in a single floor area. The Imperial series of Armstrong Custom Corlon is highly recommended for any interior where the ultimate in luxury and prestige appearance are desired.

The distinct design of the Imperial Series Custom Corlon accents all the wonderful spaciousness of today's interiors. Decoratively this exclusive Armstrong Floor helps unify the new style open-plan areas and gives the floor new importance to the interior design. In this split-level modern home, Imperial Custom Corlon helps blend the various levels into one harmonious unit.




1400 Polar White—imperial series

Armstrong CUSTOM CORLON TILE


6" x 6", 9" x 9", 12" x 12", 18" x 36"
1/8" gauge




imperial series — Onyx Black 1401




imperial series — Bermuda Pink 1402




imperial series — Shell Beige 1403




imperial series — Verdure Green 1404




imperial series — Crystal Gray 1405




imperial series — Rustic Copper 1406




imperial series — Antique Ivory 1407



imperial series — Tawny Sand 1408



imperial series — Turquoise Beige 1409



imperial series — Mole Taupe 1410



Plain White 1460



Plain Black 1461

Armstrong CUSTOM CORLON TILE

6" x 6", 9" x 9", 12" x 12", 18" x 36"
1/8" gauge



6400




6401



6402



6403




6404



6405



6406



6407



6408

Armstrong Estate Corlon Tile, sheet Estate Corlon cut into 9" x 9" blocks, presents still more opportunities to create eye-catching plastic floors of this practical material. Ideal for home installation, for use over suspended floors only. Available in the colors shown.



6409



6410


Armstrong ESTATE CORLON TILE




1800




1801



1802



1803



1804



1805



1806



1807



1810



1811




1812



1813

9" x 9"
light gauge
for suspended floors only

Armstrong DECORAY LINOLEUM TILE



1500



1501



1502



1503



1508



1509



1516



1520



1521

Armstrong Royelle Linoleum Tile in 9" x 9" size offers many opportunities to create highly decorative linoleum flooring effects. While in itself each color makes up into a pleasing floor, still further striking effects can be achieved by combining two or more of the tile colors in one floor design.



1522



1523

Armstrong ROYELLE LINOLEUM TILE

9" x 9"
standard gauge
for suspended floors only




10000



10001



10002



10003



10004



10050



10051



10052



10053



10054

Armstrong Suburban Linoleum Tile offers opportunities to create smart tile floors in areas where the quality of standard gauge linoleum is wanted at low cost. The colorings in the two styles shown are keyed together so that the same color scheme can be carried out in two different floor stylings. For unusual effects one or more colors in either or both styles can be combined in one floor area. It is recommended for suspended floors only. Suburban Linoleum Tile meets F.H.A. specifications for standard gauge linoleum. An ideal flooring material for areas where low cost is important.

9" x 9"
standard gauge
for suspended floors only

Armstrong SUBURBAN LINOLEUM TILE

WALL COVERINGS

FELT-BASE

COUNTER TOPS

SUNDRIES



Beige 75%, Taupe 12.5%, Blue 12.5%



Beige 41.33%, Gray 25%, Black 33.33%




Beige 58.4%, Copper 20.8%, Black 20.8%



Gray 56%, Turquoise Blue 44%

Armstrong Resilient Tiles present many opportunities to create highly decorative floors at moderate cost. Since they are installed block by block, it is possible to design any number of striking floors by combining various colors of a particular flooring. Also, designs can be custom designed to meet both functional and decorative requirements of the interior.

Repeat unit designs in resilient tile floors range from the simple checkerboard effect composed of alternating blocks to the more intricate designs. Illustrated here are a few of the many custom effects which can be worked out in any type of Armstrong Resilient Tile and in colors to suit individual tastes. Color percentages indicated with each design can be varied with room size.




White Black 55.5%, Pink 16.7%, Silver Gray 16.7%, Black White 11.1%

Armstrong RESILIENT TILE DESIGNS




Rainbow 25%, Green 37.5%, Cocoa Verde 37.5%



Tan 50%, Beige Taupe 25%, Copper 25%



Gray 37.5%, Green 50%, Gray Blue 12.5%



Silver Gray 50%, Yellow 25%, Green 25%



White 25%, Pink 50%, Charcoal 25%



Light Corkstyle 25%, Medium 50%, Dark 25%

Armstrong RESILIENT TILE DESIGNS

WALL COVERINGS

FELT-BASE

COUNTER TOPS

SUNDRIES

Armstrong Wall Coverings are made in four distinct types. Each type is designed to meet a specific service and decorative requirement.

Armstrong Corkwall offers something exciting and different in home and commercial decoration. Large particles of cork are welded together with a clear or colored resin to make up a luxurious and striking wall decoration. Ideal for almost any room, Corkwall is particularly recommended for interiors where a rich, dignified appearance is desired.

Armstrong Vinyl Wall Tile is a distinctively new tile-type wall finish. It is a vinyl-asbestos composition that is fire retardant, impervious to moisture, alkali, and most chemicals of the household type. Extremely durable, it is recommended as a commercial and institutional wall finish.

Armstrong Plastic Surfacing is another development of Armstrong research. It is a highly flexible, specially formulated vinyl plastic material in sheet form. It won't crack even when bent around a pencil. It is stain, grease, and wear resistant. It also can be used for counter tops.

Armstrong Budget Wall Covering is a low-cost enamel surfaced wall finish. Available in a variety of colors and designs, it offers a decorative and serviceable wall surface where low cost is a factor.



Armstrong

WALL COVERINGS

DE LUXE CORKWALL A rich-looking, dignified tile-type wall finish featuring large cork particles arranged in random fashion over the tile area. Offered in natural cork and three specially tinted colorings—Blond, Red Antique, and Green Antique in three sizes *see page* 122

VINYL WALL TILE A new highly decorative and practical vinyl-asbestos wall tile highly recommended especially for commercial and institutional interiors. It is fire retardant and is listed under the label service of the National Board of Fire Underwriters. Offered in a subtle granular textured effect in smart pastel colors. Available in 9" x 9" tile only *see page* 123

PLASTIC SURFACING A flexible, sheet-type vinyl surfacing for both walls and counter tops. Made of vinyl plastic, it resists stains, mold, dampness, alkali, and household chemicals. It is also fire resistant. Offered in a variety of pastel colors in rolls 30" and 42" wide *see pages* 124, 125

BUDGET WALL COVERING A colorful, low-cost printed enamel surfaced wall covering offering an attractive and serviceable wall finish for limited budgeted areas. Easy to handle, Budget Wall Covering is ideal for installation by the home mechanic. Made in roll form and available in a variety of tile, brick, and marble designs *see pages* 126-129



440 Natural



441 Green Antique



442 Red Antique



443 Blond

Armstrong De Luxe Corkwall is a specially formulated cork wall finish with many unique and different decorating opportunities. De Luxe Corkwall features large particles of natural cork which have been molded in random fashion to give a decorative effect quite different from regular cork tile. Available in four beautiful colorings—Natural, Blond, Red Antique,

and Green Antique, De Luxe Corkwall can be used as a single wall tone or in a combination of two or more colors. The colorings, produced by tinted binder resins, form rings of color around the cork particles giving the entire area a delicate color tone. Insets of copper, brass, or other metals offer additional decorative treatments. Ideal for custom-built furniture.

Armstrong DE LUXE CORKWALL




Black 8500



White 8501



Yellow 8502



Green 8503




Gray 8504



Pink 8505



Beige 8506



Turquoise 8507



Cork 8508

Armstrong Vinyl Wall Tile is a completely new type of wall finish developed especially for commercial and institutional interiors. It is fire retardant and ideally suited for use in schools, hospitals, public buildings, and other areas where a decoratively smart, fire-resisting wall finish is desired. It is made of vinyl plastic and asbestos, two materials noted for their exceptional durability. Vinyl Wall Tile's fire-retardant properties are listed on the Underwriters' Laboratories, Incorporated, label on each carton.

Armstrong Vinyl Wall Tile is offered in the nine colors shown on this page. These colors have been selected to complement one another so that two or more colors can be used effectively in any one or group of related wall areas. Vinyl Wall Tile has a tough plastic surface that does not easily stain, scuff, scratch, or show signs of hard usage. It requires little maintenance, just an occasional light cleaning. Vinyl Wall Tile is made in 9" x 9" tile size only. Its smooth cut edges fit tightly eliminating mortar lines.

Armstrong VINYL WALL TILE



8600 Red



8601 White and Black



8602 Yellow




8603 Green

Armstrong PLASTIC SURFACING



Gray 8604



Pink 8605




Beige 8606



Blue 8607

Armstrong PLASTIC SURFACING

30" and 42" wide



8020 Lotus Pink




8021 Delphinium Blue

Armstrong Budget Wall Covering offers many top-quality wall finish features at low cost. It is long wearing, easy to clean, decorative and is quickly installed. Its tough, baked-on enamel surface resists chipping and marring and can take many hard bumps without major damage. Its colorful self-bordered tile and marble effects present many decorative opportunities. Armstrong Budget Wall Covering is flexible and easy to handle. It can be installed by either the home or professional mechanic with little effort.


Armstrong Budget Wall Covering is now available in a new printed plastic finish. This new Plastic Series is rotogravure printed in a colorful, eye-catching design effect which duplicates the beauty of richly veined marble.

Both printed series are made in roll form, 54" wide.



8022 Dove Gray


Armstrong BUDGET WALL COVERING




Jonquil Yellow 8023



White Marble 8024




Peachbloom 8025



Dawn Gray 8026

Armstrong BUDGET WALL COVERING



8027 Seacrest Green



8050 Red Brick




8051 White Brick




8000 Mother-of-Pearl


Armstrong BUDGET WALL COVERING



Black Marble 8300



Gray Marble 8301



Pink Marble 8302



Green Marble 8303

Armstrong BUDGET WALL COVERING

Quaker's low cost, coupled with the high-quality standards of Armstrong manufacture, makes Quaker an outstanding floor covering value for beautiful styling, long service, and easy care. Each pattern is styled to meet future as well as present decorating needs by the same artist-decorators who design all Armstrong Floors.

Long wear is built into Quaker. Its extra tough felt-base is reinforced with several layers of saturants and special coatings to make it still tougher. Its exclusive colorful K-99 wearing surface is made for long service, too. K-99 is the name given to a special enamel floor covering finish developed by Armstrong. It offers 50% more wear and is 100% more alkaline resistant than ordinary floor covering enamels. Its special ingredients make Quaker colors brighter and more fade resistant than ever.

Quaker is easy to clean and to keep clean. K-99's mirror-smooth surface does not hold tracked-in dirt. A damp mopping or sweeping quickly removes dirt and restores its bright appearance. While K-99 finish resists the harmful action of harsh soaps, these cleaning agents are not needed to keep Quaker clean. A cloth dampened with warm water easily removes even the most stubborn dirt.



Armstrong

QUAKER RUGS AND FLOOR COVERINGS

QUAKER FLOOR COVERING Styles and colorings to meet almost every room decorative requirement. Selection includes wall-to-wall widths of some Quaker Rug styles plus many exclusive designs. Features exclusive K-99 enamel finish. *see pages* 150-171

QUAKER RUGS Available in distinctive styles and colorings ranging from the ever-popular tile designs to a variety of smart decorator patterns and floral effects. All feature exclusive K-99 finish for lasting beauty and long wear. Available in seven room sizes. *see pages* 132-148

RUG BORDER An inexpensive enameled floor covering designed especially to fill the area between the edge of a rug and the side walls of a room. Looks like polished wood flooring. Comes in rich oak wood effect in light and dark graining. *see page* 149



4500 Story-Book

Approximately 1/12 actual size

6' x 9', 7 1/2' x 9', 9' x 10 1/2', 9' x 12'



4520 Feather Leaf

Approximately 1/6 actual size

6' x 9', 7 1/2' x 9', 9' x 10 1/2', 9' x 12', 9' x 15', 12' x 12', 12' x 15'

Armstrong QUAKER RUGS



6' x 9', 7 1/2' x 9', 9' x 10 1/2', 9' x 12', 9' x 15', 12' x 12', 12' x 15'

Feather Leaf 4521

Approximately 1/8 actual size



6' x 9', 7 1/2' x 9', 9' x 10 1/2', 9' x 12', 9' x 15', 12' x 12', 12' x 15'

Feather Leaf 4522

Approximately 1/8 actual size

with K-99 finish

Armstrong QUAKER RUGS

COUNTER TOPS

SUNDRIES



4565 Braided Oval
Approximately 1/8 actual size

6' x 9', 7 1/2' x 9', 9' x 10 1/2', 9' x 12', 9' x 15', 12' x 12', 12' x 15'



4566 Braided Oval
Approximately 1/8 actual size

6' x 9', 7 1/2' x 9', 9' x 10 1/2', 9' x 12', 9' x 15', 12' x 12', 12' x 15'

Armstrong QUAKER RUGS

with K-99 finish



6' x 9', 7 1/2' x 9', 9' x 10 1/2', 9' x 12', 9' x 15', 12' x 12', 12' x 15'

Braided Oval 4568

Approximately 1/8 actual size



6' x 9', 7 1/2' x 9', 9' x 10 1/2', 9' x 12', 9' x 15', 12' x 12', 12' x 15'

Carved Leaf 4605

Approximately 1/6 actual size

Armstrong QUAKER RUGS

with K-99 finish



4606 Carved Leaf
Approximately 1/6 actual size

6' x 9', 7 1/2' x 9', 9' x 10 1/2', 9' x 12', 9' x 15', 12' x 12', 12' x 15'



4607 Carved Leaf
Approximately 1/6 actual size

6' x 9', 7 1/2' x 9', 9' x 10 1/2', 9' x 12', 9' x 15', 12' x 12', 12' x 15'


Armstrong QUAKER RUGS



6' x 9', 7½' x 9', 9' x 10½', 9' x 12', 9' x 15', 12' x 12', 12' x 15'

Oriental 4635

Approximately 1/6 actual size



6' x 9', 7½' x 9', 9' x 10½', 9' x 12', 9' x 15', 12' x 12', 12' x 15'

Spattertone 4800

Approximately 1/6 actual size

Armstrong QUAKER RUGS

with K-99 finish



4801 Spattertone
Approximately 1/6 actual size


6' x 9', 7 1/2' x 9', 9' x 10 1/2', 9' x 12', 9' x 15', 12' x 12', 12' x 15'



4802 Spattertone
Approximately 1/6 actual size

6' x 9', 7 1/2' x 9', 9' x 10 1/2', 9' x 12', 9' x 15', 12' x 12', 12' x 15'

Armstrong QUAKER RUGS



6' x 9', 7 1/2' x 9', 9' x 10 1/2', 9' x 12', 9' x 15', 12' x 12', 12' x 15'

Spattertone 4803

Approximately 1/6 actual size



6' x 9', 7 1/2' x 9', 9' x 10 1/2', 9' x 12', 9' x 15', 12' x 12', 12' x 15'

Corsage 4810

Approximately 1/6 actual size

Armstrong QUAKER RUGS


with K-99 finish



4811 Corsage

Approximately 1/6 actual size

6' x 9', 7 1/2' x 9', 9' x 10 1/2', 9' x 12', 9' x 15', 12' x 12', 12' x 15'




4820 Homesteader

Approximately 1/6 actual size

6' x 9', 7 1/2' x 9', 9' x 10 1/2', 9' x 12', 9' x 15', 12' x 12', 12' x 15'

Armstrong QUAKER RUGS



6' x 9', 7½' x 9', 9' x 10½', 9' x 12', 9' x 15', 12' x 12', 12' x 15'

Homesteader 4821

Approximately 1/6 actual size



6' x 9', 7½' x 9', 9' x 10½', 9' x 12', 9' x 15', 12' x 12', 12' x 15'

Numdarette 4830

Approximately 1/6 actual size

with K-99 finish

Armstrong QUAKER RUGS


COUNTER TOPS

SUNDRIES



4831 Numdarette
Approximately 1/6 actual size

6' x 9', 7 1/2' x 9', 9' x 10 1/2', 9' x 12', 9' x 15', 12' x 12', 12' x 15'




4840 Geometrix
Approximately 1/6 actual size

6' x 9', 7 1/2' x 9', 9' x 10 1/2', 9' x 12', 9' x 15', 12' x 12', 12' x 15'

Armstrong QUAKER RUGS


with K-99 finish



6' x 9', 7½' x 9', 9' x 10½', 9' x 12', 9' x 15', 12' x 12', 12' x 15'

Geometrix 4841

Approximately 1/6 actual size



6' x 9', 7½' x 9', 9' x 10½', 9' x 12', 9' x 15', 12' x 12', 12' x 15'

Geometrix 4842

Approximately 1/6 actual size

with K-99 finish

Armstrong QUAKER RUGS

COUNTER TOPS

SUNDRIES



4850 Plume Tuft
Approximately 1/8 actual size


6' x 9', 7½' x 9', 9' x 10½', 9' x 12', 9' x 15', 12' x 12', 12' x 15'



4851 Plume Tuft
Approximately 1/8 actual size

6' x 9', 7½' x 9', 9' x 10½', 9' x 12', 9' x 15', 12' x 12', 12' x 15'


Armstrong QUAKER RUGS



6' x 9', 7 1/2' x 9', 9' x 10 1/2', 9' x 12', 9' x 15', 12' x 12', 12' x 15'

Pettipoint 4860

Approximately 1/6 actual size



6' x 9', 7 1/2' x 9', 9' x 10 1/2', 9' x 12', 9' x 15', 12' x 12', 12' x 15'

Pettipoint 4861

Approximately 1/6 actual size

Armstrong QUAKER RUGS

with K-99 finish



4870 Rosewild

Approximately 1/6 actual size

6' x 9', 7½' x 9', 9' x 10½', 9' x 12', 9' x 15', 12' x 12', 12' x 15'




4871 Rosewild

Approximately 1/6 actual size

6' x 9', 7½' x 9', 9' x 10½', 9' x 12', 9' x 15', 12' x 12', 12' x 15'


Armstrong QUAKER RUGS



6' x 9', 7½' x 9', 9' x 10½', 9' x 12', 9' x 15', 12' x 12', 12' x 15'

Blocks 4880

Approximately 1/8 actual size



6' x 9', 7½' x 9', 9' x 10½', 9' x 12', 9' x 15', 12' x 12', 12' x 15'

Blocks 4881

Approximately 1/8 actual size

with K-99 finish

Armstrong QUAKER RUGS

COUNTER TOPS

SUNDRIES



4920 Victorian Bouquet

Approximately 1/6 actual size

6' x 9', 7 1/2' x 9', 9' x 10 1/2', 9' x 12', 9' x 15', 12' x 12', 12' x 15'



4921 Victorian Bouquet

Approximately 1/6 actual size

6' x 9', 7 1/2' x 9', 9' x 10 1/2', 9' x 12', 9' x 15', 12' x 12', 12' x 15'

Armstrong QUAKER RUGS



Light Oak 4055

Approximately 1/4 actual size



Dark Oak 4056

Approximately 1/4 actual size


Armstrong Rug Border provides a low-cost floor covering to fill the area between the edge of a rug and the side walls of a room. Offering long service, it gives the appearance of finely polished hard wood floors.

Armstrong Rug Border is made to simulate expen-

sive oak floor graining and is available in the two shades shown above. Its wearing surface consists of a smooth glossy finish baked on a durable, saturated-felt backing. In addition to its fine appearance, Armstrong Rug Border is exceptionally easy to keep clean.

Armstrong RUG BORDER


24", 36", and 72" wide



2512 Tweed

Approximately 1/4 actual size

2, 3, and 4 yards wide




2590 Spattertone

Approximately 1/4 actual size

2, 3, and 4 yards wide

Armstrong QUAKER FLOOR COVERING


with K-99 finish



2, 3, and 4 yards wide

Spattertone 2592

Approximately 1/4 actual size



2, 3, and 4 yards wide

Spattertone 2597

Approximately 1/4 actual size

Armstrong QUAKER FLOOR COVERING

with K-99 finish



2598 Spattertone
Approximately 1/4 actual size

2, 3, and 4 yards wide



2632 Ostrich Plume
Approximately 1/4 actual size

2, 3, and 4 yards wide

Armstrong QUAKER FLOOR COVERING

with K-99 finish



2, 3, and 4 yards wide

Feather Leaf 2640
Approximately 1/4 actual size




2, 3, and 4 yards wide

Feather Leaf 2641
Approximately 1/4 actual size


Armstrong QUAKER FLOOR COVERING

with K-99 finish



2645 Feather Leaf
Approximately 1/4 actual size

2, 3, and 4 yards wide



2690 Twill
Approximately 1/4 actual size

2, 3, and 4 yards wide


Armstrong QUAKER FLOOR COVERING



2, 3, and 4 yards wide

Twill 2693

Approximately 1/4 actual size



2, 3, and 4 yards wide

Exceleite 2720

Approximately 1/4 actual size

Armstrong QUAKER FLOOR COVERING

with K-99 finish



2721 Excelette

Approximately 1/4 actual size

2, 3, and 4 yards wide



2722 Excelette

Approximately 1/4 actual size

2, 3, and 4 yards wide

Armstrong QUAKER FLOOR COVERING

with K-99 finish



2, 3, and 4 yards wide

Excelette 2723

Approximately 1/4 actual size



2, 3, and 4 yards wide

Pine Plank 2805

Approximately 1/4 actual size

Armstrong QUAKER FLOOR COVERING

with K-99 finish

COUNTER TOPS

SUNDRIES



2835 Flagstone

Approximately 1/4 actual size

2, 3, and 4 yards wide



2836 Flagstone

Approximately 1/4 actual size

2, 3, and 4 yards wide

Armstrong QUAKER FLOOR COVERING



3 and 4 yards wide only

Florabunda 2845

Approximately 1/4 actual size



3 and 4 yards wide only

Florabunda 2846

Approximately 1/4 actual size


Armstrong QUAKER FLOOR COVERING

with K-99 finish



2865 Plume Tuft
Approximately 1/4 actual size

2, 3, and 4 yards wide



2866 Plume Tuft
Approximately 1/4 actual size

2, 3, and 4 yards wide


Armstrong QUAKER FLOOR COVERING



2, 3, and 4 yards wide

Plume Tuft 2867

Approximately 1/4 actual size



2, 3, and 4 yards wide

Dash-tex 2875


Approximately 1/4 actual size

with K-99 finish

Armstrong QUAKER FLOOR COVERING


SUNDRIES
COUNTER TOPS

SUNDRIES



2876 Dash-tex
Approximately 1/4 actual size

2, 3, and 4 yards wide



2877 Dash-tex
Approximately 1/4 actual size

2, 3, and 4 yards wide

Armstrong QUAKER FLOOR COVERING

with K-99 finish



2, 3, and 4 yards wide

Colorazzo 2885

Approximately 1/4 actual size



2, 3, and 4 yards wide

Colorazzo 2886

Approximately 1/4 actual size

Armstrong QUAKER FLOOR COVERING

with K-99 finish

SUNDRIES COUNTER TOPS



2887 Colorazzo
Approximately 1/4 actual size

2, 3, and 4 yards wide



2895 Windswept
Approximately 1/4 actual size

3 and 4 yards wide only

Armstrong QUAKER FLOOR COVERING

with K-99 finish



3 and 4 yards wide only

Windswept 2896

Approximately 1/4 actual size



2, 3, and 4 yards wide

Tuftone 2915

Approximately 1/4 actual size

Armstrong QUAKER FLOOR COVERING

with K-99 finish



2916 Tuftone

Approximately 1/4 actual size

2, 3, and 4 yards wide




2917 Tuftone

Approximately 1/4 actual size

2, 3, and 4 yards wide


Armstrong QUAKER FLOOR COVERING



2, 3, and 4 yards wide

Colorcade 2925

Approximately 1/4 actual size




2, 3, and 4 yards wide

Colorcade 2926

Approximately 1/4 actual size

Armstrong QUAKER FLOOR COVERING

with K-99 finish



2927 Colorcade
Approximately 1/4 actual size

2, 3, and 4 yards wide



2935 Surfglow
Approximately 1/4 actual size

2, 3, and 4 yards wide


Armstrong QUAKER FLOOR COVERING



2, 3, and 4 yards wide

Surf glow 2936

Approximately 1/4 actual size



2, 3, and 4 yards wide

Twistique 2945

Approximately 1/4 actual size

Armstrong QUAKER FLOOR COVERING

with K-99 finish



2946 Twistique

Approximately 1/4 actual size

2, 3, and 4 yards wide



2955 Semaphores

Approximately 1/4 actual size

2, 3, and 4 yards wide

Armstrong QUAKER FLOOR COVERING



2, 3, and 4 yards wide

Semaphores 2956

Approximately 1/4 actual size



Armstrong QUAKER FLOOR COVERING

with K-99 finish

171

Armstrong Counter Tops are available in two types — a rigid, high-pressure laminate and a flexible vinyl sheet plastic. Both types are easily handled and can be installed by either the home or professional mechanic.

The high-pressure laminate, Armstrong Corlex, is a decorative and extremely durable rigid plastic finish for sink and counter tops of all kinds and custom-built furniture. Its beauty of color and design not only presents many interesting decorating opportunities, but also lasts for years. It resists heat, stains, and scratches and requires little care or maintenance.

Armstrong Plastic Surfacing is a vinyl plastic material in roll form. It makes an ideal finish for sink and counter tops and other areas where a flexible plastic surface is desired. It has a smart textured design that fits into the modern decorating trend toward more colorful interiors. Its smooth surface is stain resistant and is not easily harmed by grease, alkali, and household chemicals.

Armstrong Plastic Surfacing has the new exclusive Hydrocord backing which is completely resistant to the harmful effects of water. Both the vinyl surface and the Hydrocord Back are not harmed by water, dampness, or mold.


The logo consists of the word "Armstrong" in a bold, sans-serif typeface. The letter "A" is enclosed within a thin circular border.

Armstrong


COUNTER TOPS

CORLEX A rigid high-pressure plastic laminate surfacing for sink and counter tops, tables, and other work surfaces. Variety of colorful patterns, many especially designed to match and harmonize with Armstrong resilient floors *see pages* 174-175


PLASTIC SURFACING A colorful sheet-type vinyl plastic material especially developed as a counter-top and wall surfacing. Extremely flexible, it can be easily installed over and around sharp curves and corners. Illustrated in the Wall Covering section *see pages* 124-125




7622 Red Homespun




7624 Yellow Homespun




7621 Charcoal and Pink Homespun




7625 Green Homespun




7645 White Multicolor Terrazzo



7642 Red Terrazzo



7641 White-Black Terrazzo



7643 Pink-Charcoal Terrazzo

Armstrong Corlex is a high-pressure plastic laminate finish for use over sink and counter tops, shelves, and various furniture surfaces. It is both practical and highly decorative. Corlex has a heat-treated plastic finish that not only resists stains, heat, and scratches, but is also exceptionally easy to clean. The smart designs and colors featured in Armstrong Corlex offer many opportunities to create interiors of outstanding beauty.

Armstrong Corlex is available in thirty-one stylings including fourteen exclusive Armstrong designs and seventeen standard patterns. The exclusive stylings have been especially designed to co-ordinate or harmonize with Armstrong Floors. Armstrong Corlex is the only plastic laminate surfacing which offers this unique feature. The standard patterns and colors may also be used to complement many Armstrong Floors. All of the Corlex stylings with the exception of the Plain Series are available in both the satin and glossy finish. The Plain colors are made in satin finish only.

Armstrong Corlex can be installed by either the home or professional mechanic. It is available in sizes ranging from 30" x 60" to 48" x 120".



7402 Plain Red




7405 Plain Green




7410 Plain Black

Armstrong CORLEX




Taupe Homespun 7627



Gray Swirl 7602




Pink Swirl 7603



Gray Pearl 7201




Red Pearl 7202



Yellow Pearl 7204



Yellow Terrazzo 7644




Turquoise Swirl 7601



Beige Swirl 7600



Green Pearl 7205



Blue Pearl 7206



Birch Woodtone 7501




Green Linen 7105



Crystalite Gray Pearl 7301



Frosted Walnut Woodtone 7502




Blue Linen 7106




Red Linen 7102



Yellow Linen 7104



Tan Linen 7119



Gray Linen 7101

Armstrong CORLEX

The Armstrong Sundry Line includes a variety of materials and tools developed especially for the installation and maintenance of Armstrong resilient floors and wall coverings. Years of experience, plus continuous laboratory and field research, have aided in their development. Each item has been specifically formulated for use with one or more of the various Armstrong Floor, Wall, and Counter-Top Products and their use is essential for best installation and maintenance performance.

Frequently under varying conditions, the same resilient floor or wall may require an entirely different adhesive or installation procedure. The use of the right Armstrong Installation Sundry with each Armstrong product could be considered job insurance. It helps eliminate after-installation service problems, and at the same time, it assures both the merchant and the customer that all the materials used in the installation will measure up to the high standard of quality of the Armstrong Line. It also concentrates in one company the responsibility for all the products used in the installation.

A brief description of each sundry item and its uses are given in the following pages.

**Armstrong**

SUNDRIES

RUBBER RUNNER A colorful, long-wearing rubber runner used as a protective matting in lobbies, corridors, and other traffic areas especially during inclement weather. Available in roll form in a variety of designs and colors	<i>see pages</i>	178-179
ADHESIVES AND CEMENTS A complete line of pastes, cements, primers, and underlayments, developed specifically for installing the various Armstrong Floors and Walls and counter-top materials	<i>see pages</i>	180-181
INSTALLATION TOOLS Adhesive spreaders, knives, rollers, and other mechanics' installation tools	<i>see pages</i>	182-184
INSTALLATION PRODUCTS Lining felt, seam protector, and other sundry items used in the installation of Armstrong Floors and Walls	<i>see page</i>	185
FLOOR CARE PRODUCTS Linogloss Wax, Cleaner, Wax Clean, Furniture Rests, and other products used for the care and maintenance of Armstrong Floors	<i>see page</i>	186
GENERAL INFORMATION Shipping weights, pattern repeats, packaging specifications, wholesalers and warehousing points, Armstrong district offices, and index	<i>see pages</i>	187-192



1220 Black



1221 Brown



1230 Red




1231 Green


Armstrong Rubber Runner is a colorful, protective floor matting for use in commercial establishments and residences. It protects corridor, hallway, and lobby floors from tracked-in mud, dirt, and water, especially during inclement weather when floor maintenance is hard to keep under control.

Armstrong Rubber Runner is made of the finest quality rubber. It is extremely flexible, can be rolled for easy storing, and will lie flat on any level floor without the use of adhesive. Its deep corrugated tread not only increases traction but also adds to its smart appearance. Armstrong Rubber Runner is also used to soften footstep noises in extra hard surfaced floor areas.

Armstrong Rubber Runner is available in a variety of stylings, all having the same quality rubber composition. It is made in 24", 36", and 48" widths in rolls 25 to 50 yards long. Available in 1/8" gauge only.




1232 Gray



1240 Red and Gray Multicolor

Armstrong RUBBER RUNNER

24", 36", and 48" wide
1/8" gauge




Green Multicolor 1241



Black 1250




Maroon 1251




Brick Red 1273



Forest Green 1274



Georgian Gray 1275



Gray and Red 1280



Green 1281

Armstrong RUBBER RUNNER

24", 36", and 48" wide
1/8" gauge



S-235 ON-GRADE CEMENT

Used to install Corlon with Hydrocord Back, rubber, and Custom Corlon Tile on grade level. A factory mixed, alcohol base adhesive that is easy to apply. Moisture and alkali resistant. Spreading capacity is 120 to 140 square feet per gallon. Available in one-gallon, 3-1/2 gallon, and 5-gallon containers.



S-90 ASPHALT CEMENT

(New Formula)

Developed specifically for installing Armstrong Excelon Tile and Asphalt Tile over concrete subfloors in direct contact with ground. New formula maintains consistency throughout for easier spreading. One gallon covers 200-250 sq. ft. In quart, gallon, 3-1/2-, 5-, 30-, and 55-gallon containers.



S-1200 CORLEX CEMENT

For installing Armstrong Corlex plastic laminate counter top and top-set rubber cove base. An air-drying contact-pressure cement. Water and alkali resistant. One gallon covers 80-90 square feet when applied to counter and back of Corlex and when applied to top-set rubber cove base and wall. In pint, quart, 1, and 5-gallon cans.

S-700 BRUSHING CEMENT

Developed for "do-it-yourself" installations of Service Gauge Excelon Tile. Used on double-layer, tongue - and - groove, suspended wood subfloors and on smooth, clean concrete subfloors, either suspended, on grade, or below grade. Easy to spread, brushes on like paint. Fast drying with outstanding adhesive qualities. Spreading capacity is 160-180 sq. ft. per gallon. Available in one and two quart sizes only.

S-104 CHEMICAL-SET WATERPROOF CEMENT

Has unique adhesive and waterproof qualities for installing linoleum, rubber tile, and Linotile over steel, terrazzo, ceramic, and other non-porous surfaces. Also used to install rubber and Custom Corlon Tile on grade-level or below-grade concrete subfloors. Has specialized uses with metal trim and fittings. Each unit consists of one can of powder and one can of paste. Spreading capacity is approximately 100 sq. ft. per mixed gallon. One unit makes 1.8 gallons.

S-105 CHEMICAL-SET UNDERLAYMENT CEMENT

A latex-type underlayment for use in leveling suspended, on-grade, or below-grade subfloor surfaces of concrete, terrazzo, ceramic, or metal where the coating required is no more than 1/8" thick. It is particularly effective as a skim coat or as a fill requiring feathered thicknesses. This underlayment is packaged in two component parts for mixing on the job. Available in one-gallon and five-gallon units. When the components are mixed, they produce 3.3 and 16.5 gallons, respectively.

CORLEX CEMENT REMOVER

Cleans dried adhesive smears from Corlex surfaces and installations. Should not be used on painted surfaces. Also excellent for cleaning installation tools. Available in pint, quart, and gallon containers.



S-130 RESILIENT TILE PASTE

A quick-setting adhesive for use in installing all Armstrong Resilient Tiles except Excelon and Asphalt Tile. Permits faster tile installation over large areas. Exceptional bonding capacity. Covers 140-160 sq. ft. to gallon. In quart, gallon, 3-1/2-, 5-, and 30-gallon sizes.

S-170 FLORMASTIC

An emulsified asphalt used with Lumnite Cement and sand as floor fill. Mixed on the job, its consistency permits "feathering" to a thin edge. Used for leveling concrete and wood floors before installing resilient floors. In 1, 3-1/2, 5-, 30-, and 55-gallon sizes.

S-127 CEMENT

A latex-type cement for installing Armstrong wall coverings and Armstrong Plastic Surfacing. It has good initial tack, but allows sufficient time for sliding wall covering into place. Also used for installing plastic sheet goods on counters. One gallon covers 160-190 sq. ft. 3-1/2-gallon size only.



S-128 PASTE

A multi-purpose paste for installing Armstrong Linoleum, Corlon, Cork Tile, Rubber Tile, Custom Corlon Tile, Linotile, and Quaker Floor Covering over lining felt or directly on suspended wood or concrete subfloors. Also used to paste lining felt to floors and Budget Wall Covering to walls. One gallon covers 150-175 sq. ft. In quart, gallon, 3-1/2-, 5-, and 30-gal. sizes.

S-1225 CEMENT

A special cement for use where fire-retardant construction is specified for Armstrong Vinyl Wall Tile installations. One gallon covers 140-160 square feet of wall area.

S-80 ASPHALT PRIMER

Used for priming porous, dusty, or damp concrete subfloors either on grade or below grade before proceeding with installation of Excelon or Asphalt Tile. One gallon covers 300-350 square feet. In 1, 3-1/2, 5-, and 30-gallon sizes.

S-140 FLOOR AND WALL SIZE

Retards absorption of adhesives into dry or porous floor and wall surfaces. Required to seal new and sanded wood subfloors. Spreading capacity is 300-400 sq. ft. per gallon. In 1-gallon and 5-gallon sizes.



S-160 EMULSION

For installing Excelon and Asphalt Tile over lining felt on wood subfloors and directly to suspended on-grade and below-grade concrete. Has unusual spreading capacity, quick initial tack, and exceptional bonding strength. One gallon covers 130 to 150 square feet. Available in quart, gallon, 3-1/2-, 5-, 30-, and 55-gallon containers.

S-245 TOP-SET COVE BASE CEMENT

For installing top-set asphalt cove base, cork tile wainscoting, Cork-wall, and Vinyl Wall Tile. It is highly resistant to the harmful effects of moisture. One gallon covers approximately 150-175 lineal feet of 6" cove base and 175-200 feet of 4" cove base. In quart, gallon, 3-1/2, and 5-gallon sizes.

S-290 WATERPROOF SINK RIM CEMENT

Forms a lasting watertight seal between linoleum or plastic sheet goods and metal sink rims. Made in four-ounce tubes packaged in twelve-tube display unit. One tube is sufficient to waterproof the average sink-top installation.



S-214 WATERPROOF CEMENT

Effectively surface - waterproofs, seals, and cements the seams of Armstrong Linoleum, Corlon, Linotile, Cork Tile, Rubber Tile and Custom Corlon to suspended subfloors. It should not be used to install top-set rubber cove base. One gallon of S-214 Waterproof Cement covers 120-140 sq. ft. In quart, gallon, 3-1/2-, and 5-gallon sizes.


Armstrong ADHESIVES



HOME MECHANIC'S KIT

Contains tools and instruction folders necessary for home installation of Armstrong Resilient Tiles, Linoleum, Corlon, and Wall Coverings. Kit includes chalk and chalk line for marking guide lines in laying out jobs; linoleum knife for


cutting and trimming of materials; notched trowel for spreading of adhesives; awl for scoring and breaking cold asphalt tile; Armstrong Scri-Bar for scribing resilient flooring to fit along wall lines and irregular offsets.



S-905 CUSTOM CRAFT TEMPLATE SET

For custom inset work. Consists of two metal templates, one containing a nest of stars and the other seven basic design elements. The design element template contains a reverse ribbon, petal, scroll, teardrop, ribbon, "ski" element, and one plant stem element. Both male and female templates are available.

Circles can be made with the Armstrong Universal Scriber or with a pair of dividers or standard compass.



S-83 RECESS SCRIBING TOOL

For scribing linoleum, Corlon, and Plastic Surfacing to fit metal edgings on sink tops and square outside corners on sink and counter tops. Small, lightweight, adjustable to all resilient material gauges.



S-77 HAND ROLLER

Used to roll sink and counter-top installations and in other areas that are too confined for the 100-pound steel roller. It is made of sturdy steel construction and is designed for easy and efficient handling.



S-9 SEAM ROLLER

For rolling seams of wall covering to assure a firm bond with the wall surface and to bring seam edges together. Also used for rolling wall covering and cove base fillet strips into place. Easy to handle.




S-84 18-INCH SCRIBING TOOL

Accurately scribes any width from 2 to 16 inches. Sturdy, lightweight, and made of durable steel.



S-76 ASPHALT TILE BREAKER

Cuts cold tile up to 24" in length. Removable tempered steel blades. Malleable iron construction.




S-876 SMALL ASPHALT TILE CUTTER

Portable cutter for use on the job. Handles tile up to 12" x 12" for square cutting and up to 9" x 9" on diagonal. Cuts sharper, cleaner edges than S-76 Tile Breaker.

S-81 UNIVERSAL SCRIBER

All-purpose tool used for straight scribing, recess scribing, radius scribing, offset scribing, and circular and curved feature strip scribing. Also used for cutting circles.



S-901 NOTCHED STEEL PASTE SPREADER


Spreads proper thickness of adhesive. Steel blade may be replaced by rubber blade (S-903) for use on concrete. Extra steel spreading blades (S-902) are available.



S-891 NOTCHED STEEL TROWEL

Designed specifically for spreading flooring adhesives. Has notches 1/16" deep and 1/16" wide on one side and one end. Front edge is tapered to provide easy spreading along walls and fixtures. End notches give spreader surface for getting into corners and around fixtures. Aluminum handle and flush rivets. Lightweight and easy to use.

Armstrong INSTALLATION TOOLS



S-93 NOTCHED BLADE KNIFE

For cutting felt-base and felt-backed linoleum and sheet Corlon. Cutting edge does not "gum up." Complete with four blades. S-94 replacement blades are available 5 to a package.

S-98 STRAIGHT EDGE BLADES

Recommended for cutting sheet flooring material with Hydrocord and Cushion-Eze backing. Blades fit into S-93 handle. Five tempered steel blades to package.



S-86 LONG STRAIGHTEDGE

Made of hardened non-warping



S-92 LINOLEUM KNIFE

Regulation size. Made of fine tempered steel to assure long wear. The blade of this knife is curved to make it adaptable to any type of general resilient floor installations.



S-99 LINOLEUM KNIFE

Small size, regulation style, tempered steel. Handy for close linoleum cutting where larger knife isn't practical. Also ideal for installation of wall coverings.

S-85 PINCH BAR

Designed for raising wood base-board molding and other removal

S-87 STRAIGHTEDGE

Short, 37-1/2". 45° angle end is designed for mitering corners.

S-79 ASPHALT TILE PUNCH

Used to punch holes in Asphalt Tile, Excelon Tile, and other resilient floors under radiator legs as a protection against unsightly indentations caused by legs of radiators or other permanent fixtures. 13/16" diameter, 5" long with 1-1/4" long cutting edge which can be resharpened as needed.

saw steel with smooth straight edge for accurate cutting of straight seams. 75 in. long by 3 in. wide.



work in preparation to installation. Wide tapered flange permits easy insertions under wood. 14" long.



Made of hardened non-warping saw steel. Smooth straight edge.

QUAKER WALL CAP STRIP

Printed enamel felt-base cap strip used as a wainscot finish. 1-1/2 inches wide in rolls 45 feet long.

Available in the following colors:

S-860 Black with white vertical line

S-861 Blue with white vertical line

S-862 Red with white vertical line

S-863 Green with white vertical line



S-72 100-POUND ROLLER

For rolling all resilient floor installations except Asphalt Tile. Adequate weight for all thicknesses of floors. Solid steel with babbitted bearings which permit free, easy rolling. The three-section construction provides a pivoting action that permits easy turning and smoother operation. Surfaces of the sections are smooth finished and will not mar the floor. Molded yoke gives the roller added sturdiness. Roller can be easily taken apart.

S-95 SANDBAGS

Made of heavy quality duck tightly sewn for extra strength. Used for weighting floor seams and also for areas where heavy linoleum roller cannot be easily used.

TEMBOARD UNDERLAYMENT

A hardboard developed especially as an underlayment for resilient floors. Available in 4 foot x 4 foot and 4 foot x 3 foot sheet sizes.

S-190 CRACK FILLER

For use in filling cracks and score marks in concrete subfloors in preparation for resilient floor installation. It is supplied in powder form and is easily mixed with water on the job. Available in 50-pound containers only.




TOP-SET ASPHALT COVE BASE

Provides a practical, easy-to-clean baseboard treatment for all resilient floor installations. Gives tight fit when nailed or cemented in place. Available in two colors shown on page 100. 4" and 6" high, 36" and 48" long.



TOP-SET RUBBER COVE BASE

Made with the same quality materials as Armstrong Rubber Tile. It eliminates dirt-catching joints and corners. Internal corners are molded to 36" straight pieces. External corners are separate. Available in 9 colors shown on page 108. Marbles and plain black 4" and 6" high. Other plain colors 4" high only. All colors illustrated are available in 36" lengths.



S-150 LINING FELT


A special, semi-saturated rag felt for use under all resilient floorings installed over wood subfloors. Optional over suspended concrete, terrazzo, marble, ceramic tile subfloors. This felt absorbs much of the expansion and contraction of wood subfloors and helps prevent the spreading of seams in resilient floor installations. It also assures maximum bonding strength and is heavy enough to help smooth out minor irregularities in the subfloor.

S-149 HEAVY-DUTY LINING FELT

Provides extra bonding strength and protection in areas subject to unusual floorboard movement due to extreme temperature and humidity variations.

S-97 FELT REMOVER

Recommended for use in removing either dry or semi-saturated felt. When Felt Remover is mixed with water and applied to the lining felt, cemented felt can then be easily scraped from the subfloor.



S-17 LINOTILE BEVELED EDGING

Designed especially for finishing edges of resilient floors at doorways and on aisles. Available in a wide range of marbleized colors. 1" wide and 36" long. 1/8" gauge.

S-96 FABRIC SEAM PROTECTOR

A sturdy canvas strip designed for pasting under resilient floor seams when they are parallel to floor boards. Prevents seam openings due to seasonal wood floor shrinkage. 4"-wide rolls. 100-yd. lengths.

S-19 EXCELON BEVELED EDGING

Used in finishing edges of Excelon floors at doorways and on aisles. Available only in service gauge (1/16") and in black only. Each piece is 1" wide by 36" long.




S-18 ASPHALT BEVELED EDGING

For use in finishing the edges of resilient floors at doorways or along aisles. 1/8" and 3/16" thick, 36" long, and 1" wide. Black only.

S-15 WALL COVERING FILLET STRIP (5/8" radius)

For filling inside corners on Plastic Surfacing and Budget Wall Covering installations. S-29, 7/8" Radius Cove Base Fillet Strip, should always be used for all flash-type sink top and cove base installations. Packed 50 linear feet to a carton.



CLEANER

A mild all-purpose cleaner developed especially for resilient floors and floor coverings. It is also ideal for cleaning painted walls, woodwork, and furniture trim. Easy to use, its penetrating action loosens dirt, built-up wax and stains without hard scrubbing. A small amount mixed with water is all that is needed for average cleaning. Available in pint, quart, gallon, 5, 30, and 55 gallon containers.




LINOGLOSS WAX

A top-quality liquid, self-polishing wax for resilient floors. Made with carnauba wax, it provides a long-lasting finish which resists water spotting and chipping. Linogloss is easily applied and dries in 20 to 30 minutes to a satin finish that protects and beautifies the floor. Floor may be buffed to increase gloss. Available in pint, quart, gallon, 5, 30, and 55 gallon containers.



WAX CLEAN

Combines waxing and cleaning of resilient floors into one operation. When spread on the floor, its cleaning agents loosen dirt and stains. After the dirt is wiped away, a satiny film of wax remains on the floor. This provides a durable protective surface which beautifies the floor. Armstrong Cleaner is recommended for removing stubborn dirt from areas subjected to heavy traffic. Qt., 1 and 5 gal. cans.



S-60 LINOGLOSS WAX APPLICATOR

Simplifies floor waxing. Its large 9" wool pad is easily removed for cleaning. The 42" handle is set at an angle for easier wax application and eliminates bending and stooping. No. S-62 Wool Replacement Pads are also available.




METAL TYPE
(CFT)



COTTER TYPE
(CT)



NAIL TYPE (NT)



SQUARE CUP TYPE
(NDC 125 TO 325)



ROUND CUP TYPE
(NDC 6 & 7)

ARMSTRONG FURNITURE RESTS

Provide excellent protection from indentation marks in resilient floors caused by the concentrated weight of heavy furniture. They are also recommended to protect wood floors and carpets. Five styles and seventeen sizes are available in a rich shade of brown that harmonizes with furniture finishes. Made of tough, high quality plastic, the CFT, CT, and NT styles feature ball and socket swivel construction.

Chrome Furniture Type (CFT)—Designed especially for metal or chrome furniture legs. Fit 2 leg sizes in 2 base diameters.

Cotter Type (CT)—Used with furniture designed for casters. Available in 4 sizes.

Nail Type (NT)—For use on furniture which does not have casters. Available in 4 sizes.

Square and Round Cup Type (NDC)—For heavy furniture that is not moved often such as desks, tables, sofas, etc. In 5 sizes.

Armstrong FLOOR CARE PRODUCTS

SHIPPING WEIGHTS OF ARMSTRONG FLOORS

Gauge and thickness in inches	Width Yards	Average shipping wt. per sq. yd. in lbs.	Average shipping wt. per roll of 30 lin. yds.
LINOLEUM			
Battleship			
Heavy (1/8") (.125")	2	8.7	520
Plain			
Heavy (1/8") (.125")	2	8.7	520
Standard (.090")	2*	5.5	330
Jaspé			
Heavy (1/8") (.125")	2	8.8	527
Marbelle			
Heavy (1/8") (.125")	2	8.4	501
Standard (.090")	2*	5.6	336
Light (.070")	2*	4.1	246
Textelle			
Heavy (1/8")	2	8.0	481
Royelle			
Standard (.090")	2*	5.1	306
Standard (.090")	2/3	5.1	102
Straight Line Inlaid			
Standard (.090")	2*	5.0	300
Embossed Inlaid, Craftline, and Spatter			
Standard (.090")	2*	4.7	282
Spatter (Cushion-Eze Back)	2*	5.3	317
Decoray			
Light (.070")	2*	4.2	252
Light (.070")	2/3	4.2	84
Newray			
Light (.070")	2*	4.5	270
Suburban			
Standard (.090")	2*	5.6	337

* Wrapped in heavy paper for shipment, not crated.

Note—Crated weights are average only, but accurate enough for estimating freight.

PLASTICS

Corlon

	Width Yards	Average shipping wt. per sq. yd. in lbs.	Average shipping wt. per roll of 30 lin. yds.
Decoresq	2*	4.1	248
Decoresq (Hydrocord Back)	2*	4.8	287
Granette	2*	6.0	360
Terrazzo	2*	4.1	246
Terrazzo (Hydrocord Back)	2*	4.8	286
Estate	2*	4.1	247
Mosaic	2*	4.5	271
Mosaic (Cushion-Eze Back)	2*	4.6	276
Estate	2/3	4.1	85
Estate	5/6	4.1	100
Estate	1-1/6	4.1	125

FELT-BASE

Quaker Floor Covering

	Width Yards	Average shipping wt. per sq. yd. in lbs.	Average shipping wt. per roll of 30 lin. yds.
	2*	3.2	192
	3*	3.1	281
	4	3.3	456

Rug Border

	Width Yards	Average shipping wt. per sq. yd. in lbs.	Average shipping wt. per roll of 30 lin. yds.
	2/3	1.6	82††
	1*	2.4	149††
	2*	2.4	143

RUBBER RUNNER

(50 linear yards to roll)

	Width Yards	Average shipping wt. per sq. yd. in lbs.	Average shipping wt. per roll of 30 lin. yds.
	2/3	7.5	250
	1	7.5	375
	1-1/3	7.5	500

†† Weight on the basis of 60-linear-yard roll.

SHIPPING WEIGHTS OF ARMSTRONG RESILIENT TILES

	Unit Weight
Asphalt Tile	
1/8" Gauge	45 sq. ft. per carton 58 lbs.
3/16" Gauge	36 sq. ft. per carton 71 lbs.
All regular sizes	
Conductive Asphalt Tile	
18" x 24"—1/8" Gauge	54 sq. ft. per carton 55 lbs.
18" x 24"—3/16" Gauge	36 sq. ft. per carton 59 lbs.
Greaseproof Conductive Asphalt Tile	
18" x 24"—1/8" Gauge	54 sq. ft. per carton 55 lbs.
18" x 24"—3/16" Gauge	36 sq. ft. per carton 59 lbs.
Excelon Tile	
Service Gauge (1/16")	45 sq. ft. per carton 32 lbs.*
1/8" Gauge	45 sq. ft. per carton 63 lbs.*
Custom Corlon Tile	
3/32" Gauge	63 sq. ft. per carton 55 lbs.
1/8" Gauge	54 sq. ft. per carton 64 lbs.
Rubber Tile	
1/8" Gauge	54 sq. ft. per carton 67 lbs.
3/16" Gauge	36 sq. ft. per carton 70 lbs.

	Unit Weight
Linotile	
1/8" Gauge	54 sq. ft. per carton 50 lbs.
Cork Tile	
1/8" Gauge	54 sq. ft. per carton 18 lbs.
3/16" Gauge	36 sq. ft. per carton 18 lbs.
5/16" Gauge	36 sq. ft. per carton 29 lbs.
Custom Cork 1010	
3/16" Gauge	32.6 sq. ft. per carton 16 lbs.
Custom Cork 1300	
3/16" Gauge	36 sq. ft. per carton 18 lbs.
Royelle Linoleum Tile	
.090"	63 sq. ft. per carton 38 lbs.
Decoray Linoleum Tile	
.070"	63 sq. ft. per carton 29 lbs.
Suburban Linoleum Tile	
.090"	63 sq. ft. per carton 40 lbs.
Estate Corlon Tile	
	63 sq. ft. per carton 29 lbs.

* Note—Weight varies slightly by factory.

SHIPPING WEIGHTS OF ARMSTRONG QUAKER RUGS

Packed in cartons, not crated.

6' x 9'	20 lbs.	9' x 15'	48 lbs.
7½' x 9'	25 lbs.	12' x 12'	53 lbs.
9' x 10½'	35 lbs.	12' x 15'	65 lbs.
9' x 12'	40 lbs.		

SHIPPING WEIGHTS OF ARMSTRONG WALL COVERINGS

Budget Wall Covering

	Average wt. per sq. yd.	Average wt. per roll
Roll—54 inches wide** (66.8 sq. yds./133.6 linear ft.)	2.7 lbs.	180 lbs.

Plastic Surfacing

	Average wt. per lin. ft.	Average wt. per roll
(59 linear feet)		
30" wide74 lb.	44 lbs.
42" wide	1.03 lbs.	61 lbs.

** Wrapped in heavy paper for shipment—not crated.

De Luxe Corkwall

6" x 12"	per carton	12 lbs.
12" x 24" and 24" x 48"	per carton	21 lbs.

Vinyl Wall Tile

9" x 9" only	per carton	36 lbs.
--------------------	------------	---------

SHIPPING WEIGHT OF ARMSTRONG CORLEX

½ lb. per square foot ¼" gauge

ARMSTRONG TOOLS AND ACCESSORIES

Linoleum

	Weight per Package in lbs.
No. S-81 Universal scribe (1 in a carton)	4.0
No. S-83 Recess scribing tool (1 in a carton)25
No. S-86 Long straightedge—3" x 75" (1 in a carton)	6.0
No. S-87 Short straightedge—3" x 37½" (1 in a carton)	3.0
No. S-92 Linoleum knives—regular (12 in a carton)	2.0
No. S-99 Linoleum knives—small (12 in a carton)	1.5
No. S-93 Notched blade knife (1 in a carton)25
No. S-98 Straight edge blades (5 to a pkg.)	1.25 oz.
No. S-891 Notched steel trowel (1 in a carton)	1.0
No. S-901 Notched steel paste spreader (1 in a carton)7

Budget Wall Covering

No. S-9 Seam roller and fillet forming tool (1 in a carton)	1.0
No. S-15 ⅝" Radius wall covering fillet strip (50 linear feet in a carton)	2.0

Mechanic's Kit

(12 to a pkg.)	16.0
----------------------	------

Tile

	Weight per Package in lbs.
No. S-76 Asphalt tile breaker (1 in a box)	58.0
No. S-876 Small asphalt tile cutter	22.0

Furniture Rests and Cups

No. NT10 (12 sets in a carton)	3.0
No. NT20 (12 sets in a carton)	4.0
No. NT35 (12 sets in a carton)	6.0
No. NT50 (12 sets in a carton)	7.0
No. CT100 (12 sets in a carton)	4.0
No. CT200 (12 sets in a carton)	5.0
No. CT350 (12 sets in a carton)	6.0
No. CT500 (12 sets in a carton)	7.0
No. NDC6 (12 sets in a carton)	3.0
No. NDC7 (12 sets in a carton)	4.0
No. NDC125 (12 sets in a carton)	5.0
No. NDC225 (12 sets in a carton)	6.0
No. NDC325 (12 sets in a carton)	7.0
No. CFT300 (12 sets in a carton)	3.0
No. CFT301 (12 sets in a carton)	4.0
No. CFT400 (12 sets in a carton)	4.0
No. CFT401 (12 sets in a carton)	5.0

Miscellaneous

No. S-60 Linogloss wax applicator 9" (12 in a carton)	14.0
No. S-29 ⅞" radius cove base fillet strip (50 linear feet in a carton)	5.0

SHIPPING WEIGHTS OF ARMSTRONG SUNDRIES

Top-Set Rubber Cove Base

Pieces 36 inches long	Weight per Package in lbs.	
	4" high	6" high
Straight pieces, 16 to pkg.....	22	32
Pieces with attached inside corner, 1 right and 1 left to pkg.....	3	5
Pieces with attached end stop, 1 right and 1 left to pkg.....	3	4
Outside corners, 12 to pkg.....	3	4

Top-Set Asphalt Cove Base

Pieces 48 inches long	Weight per Package in lbs.	
	4" high	6" high
Standard straight pieces, 12 to pkg.....	24	34
Conductive straight pieces, 12 to pkg.....	21	32
Armstrong Lining Felt		
50 linear-yard roll (36" wide)	Weight per Package in lbs.	
S-150	average 54	
S-149	average 66	

SHIPPING WEIGHTS OF ARMSTRONG ADHESIVES, PRIMER, AND MAINTENANCE ITEMS

ITEM	Pints 24 to Ctn.	Qts. 12 to Ctn.	1 Gal. 4 to Ctn.	3 1/2 Gal.	5 Gal.	30 Gal.	55 Gal.
No. S-80 Primer	35	30	41	254	..
No. S-90 Asphalt Cement	32	38	33	47	297	536
No. S-127 Cement	36
No. S-128 Paste	43	54	49	70	421	..
No. S-130 Resilient Tile Paste	45	57	49	69	428	..
No. S-140 Floor and Wall Size	33	..	39
No. S-160 Emulsion	30	37	33	46	286	505
No. S-170 Flormastic	38	32	45	273	501
No. S-214 Waterproof Cement	40	51	45	63
No. S-235 On-Grade Cement	43	37	52
No. S-245 Top-Set Cove Base Cement	41	50	47	63
Linogloss Wax	35	32	39	..	47	281	522
Cleaner	35	32	38	..	47	285	515
Wax Clean	32	39	..	46
No. S-104 Chemical-Set Waterproof Cement	1 unit per carton—23 lbs. per carton						
No. S-105 Chemical-Set Underlayment Cement	1-gal. unit—51 lbs. per carton..... 5-gal. unit—259 lbs. (paste pail and powder drum, combined)						
No. S-290 Waterproof Sink Rim Cement	4-oz. tubes—24 to carton—13 lbs. per carton.						
No. S-700 Brushing Cement	Quarts—12 to carton—29 lbs..... 1/2 gallon—8 to carton—41 lbs.						
S-1200 Corlex Cement	27	26	34	..	41
Corlex Cement Remover	43	41	54
No. 1225 Cement	34	49

PACKAGING SPECIFICATIONS

ROLL YARDAGE

Square Yards	Min.	Max.
Plain Linoleum 2 yards wide		
Full-size rolls — all gauges and colors..	30	66.7
Quarter-size rolls — standard gauge — special colors	15	20
All other linoleum 2 yards wide—all gauges (single rolls cannot be supplied larger than maximum shown)	30	66.7
Suburban Linoleum ...	30	66.7
Decoresq Corlon 2 yards wide	30	70.0
Granette Corlon 2 yards wide		
1/2 rolls	30	40
Full rolls	40.1	70
Terrazzo Corlon 2 yards wide	30	70
Mosaic Corlon	30	70
Estate Corlon	30	70
Quaker Floor Covering 2 yards wide	40	66.7
3 yards wide	45	100
4 yards wide	60	133

Square Yards	Min.	Max.
Rug Border 1 yard wide.	30	75*
Rug Border 2 yards wide	40	90*
Linear Yards	Min.	Max.
Rug Border 24 in. wide.	30	60*
*Average		
Linear Feet	Min.	Max.
Budget Wall Covering 54 in. wide	75	150
Plastic Surfacing 30" and 42" wide	50	65

CARTON SPECIFICATIONS

Rubber Tile, Linotile, Cork Tile, Custom Corlon Tile, Corkwall—1/8" gauge	
9"x9", 6"x6", 6"x12", 12"x12", 18"x24", 18"x36"	54 sq. ft.
12"x24", 24"x48"	96 sq. ft.
1/8" Asphalt Tile and Excelon Tile	45 sq. ft.
3/16" Asphalt Tile	36 sq. ft.
3/16" Rubber Tile	36 sq. ft.
Estate Corlon Tile 9"x9" size only	63 sq. ft.
Vinyl Wall Tile	45 sq. ft.

3/16" and 5/16" Cork Tile

All sizes	36 sq. ft.
Service Gauge Excelon Tile	45 sq. ft.
3/32" Custom Corlon Tile	63 sq. ft.
Linoleum Tile All gauges 9" x 9"	63 sq. ft.
Custom Cork Tile No. 1010	32.6 sq. ft.
Custom Cork Tile No. 1300	36 sq. ft.
Custom Vinyl Cork Tile 9" x 9"—1/8"	54 sq. ft.
Corlex	

Size of Sheets	Sq. Ft. per Sheet	Sheets per Carton	Sq. Ft. per Carton
30" x 96"	20	10	200
48" x 96"	32	10	320
30" x 120"	25	10	250
36" x 120"	30	10	300
48" x 120"	40	10	400
30" x 60"	12 1/2	10	125
24" x 96"	16	10	160
36" x 72"	18	10	180
36" x 96"	24	10	240

CODE WORDS FOR SHIPPING INSTRUCTIONS

Questions and Instructions

Additional order in mail must be in- cluded	Xabvi
Advise patterns available	Xacha
Can you include	Xacbc
Can you supply if wanted	Xabcp
Can you furnish and at what price ...	Xabdq
For use on one job ship closest to and no less than the following yardage (footage)	Xabwj
How many rolls can you furnish	Xabbo
How many cartons can you furnish ...	Xabbd

If you cannot supply at once wire fully .	Xably
If you cannot supply at once write fully .	Xabmz
Include near not less than	Xabxk
Include car (or truck) now moving and confirm by wire	Xabcf
Include car (or truck) now moving and confirm by letter	Xabh
Record order and wire earliest shipment.	Xabre
Ship by express as soon as possible . . .	Xabpc
Ship by freight as soon as possible . . .	Xabqd
Ship by truck	Xabiv
Start tracer for shipment of	Xabob
Wire availability of	Xabhi

Wire earliest shipping date possibleXacbj
Write earliest shipping date possible . . .Xacbk
Wire immediately when shipment will be
made ofXacbl
Wire when order is shippedXabtg

Answers

Can ship immediately	Xaber
Cannot ship at present but expect to be able about	Xabhu
Have shipped by freight on	Xabfs
Have shipped by express on	Xabgt
Have shipped by truck on	Xabhm

TABLE OF PATTERN REPEATS

Embossed Inlaid Linoleum		Match
5300	Random Plank . 108" x 72"	
	No exact match required	
5310	18"
5311	18"
5321	18"
5351	18"
5352	18"
5390	18"
5392	18"
5393	18"
5490	18"
5491	18"
5500	18"
5501	18"
5510	18"
5511	18"
5520	.. 18" x 36"	Match 6"
5521	.. 18" x 36"	Match 6"
5530	..54" x 72"	No Match
5792	18"
5793	18"

Craftline Inlaid Linoleum		Match
5140	18"
5141	18"
5150	{ 18" No exact match required	
5161	{ 18" No exact match required	

Newray Inlaid Linoleum		
1850	18"
1851	18"
1852	18"
1855	18"
1860	18"
1861	18"
1862	18"
1863	18"
1870	18"
1871	18"
1872	18"
1873	18"

Decoresq Corlon
6300 No match required
86300 No match required
86301 No match required
6301 No match required

	Decoresq	Corlon	Match
6320		18"
6321		18"
6340	... 18"	18"	match
6341	... 18"	18"	match

Straight Line Inlaid Linoleum		
1690	18"
1693	18"

Quaker Floor Covering	
2512	18"
2590	18"
2592	18"
2597	18"
2598	18"
2632	18"
2640	18"
2641	18"
2645	18"
2690	18"
2693	18"
2720	18"
2721	18"
2722	18"
2723	18"

Quaker Floor Covering		Match
2805	No match required	
2835	18"
2836	18"
2845	18"
2846	18"
2865	18"
2866	18"
2867	18"
2877	18"
2885	18"
2886	18"
2887	18"
2895	18"
2896	18"
2915	18"
2916	18"
2917	18"
2925	18"
2926	18"
2927	18"
2935 18"	18" match
2936 18"	18" match
2945	18"	No match required
2946	18"	No match required
2955	18"
2956	18"

DISTRICT OFFICES—FLOOR DIVISION

ATLANTA 8, GA.	727 West Peachtree Street, N.E.
BALTIMORE 2, MD.	114 South Street
BOSTON 16, MASS.	Publisher's Building, 131 Clarendon Street
BUFFALO 23, N. Y.	1674 Kenmore Ave.
CHICAGO 54, ILL.	13-136, The Merchandise Mart
CINCINNATI 37, OHIO	1057 Meta Drive
CLEVELAND 14, OHIO	2975 Superior Ave.
DALLAS 7, TEXAS	1824 N. Industrial Blvd.
DENVER 4, COLO.	35 West Fifth Avenue
DETROIT 26, MICH.	Free Press Building 321 Lafayette Avenue, West
HIGH POINT, N. C.	Southern Furniture Exposition Building

KANSAS CITY 8, MO.	500 West 26th Street
LOS ANGELES 15, CALIF.	719 Bendix Building 1206 Maple Ave.
MINNEAPOLIS 6, MINN.	4539 Hiawatha Ave.
NEW ORLEANS 25, LA.	7010 Washington Avenue P. O. Box 13065
NEW YORK 16, N. Y.	295 Fifth Avenue
PHILADELPHIA 2, PA.	Robinson Building 15th & Chestnut Streets
PITTSBURGH 22, PA.	24th Street and Allegheny River
SAN FRANCISCO 3, CALIF.	Western Merchandise Mart 1355 Market Street
SEATTLE 1, WASH.	803 Terminal Sales Building
ST. LOUIS 10, MO.	1919 Hampton Ave.

In Canada: Armstrong Cork Canada Limited, 6911 Decarie Blvd., Montreal 29, Quebec

WHOLESALE AND WAREHOUSING POINTS

ALABAMA

BIRMINGHAM.....BEBCO Distributors
MOBILE.....Paterson Hdwe. & Supply Co., Inc.
MONTGOMERY.....BEBCO Distributors

ARIZONA

PHOENIX.....William Volker & Co.

ARKANSAS

FORT SMITH.....Gunn Distributing Company, Inc.
LITTLE ROCK.....Gunn Distributing Company, Inc.

CALIFORNIA

FRESNO.....William Volker & Co.
LOS ANGELES.....J. N. Ceazan Company
LOS ANGELES.....William Volker & Co.
SACRAMENTO.....William Volker & Co.
SAN DIEGO.....William Volker & Co.
SAN FRANCISCO.....B. R. Funsten & Co.
SAN FRANCISCO.....William Volker & Co.

COLORADO

DENVER.....William Volker & Co.
GRAND JUNCTION.....William Volker & Co.
PUEBLO.....William Volker & Co.

CONNECTICUT

HARTFORD.....Roskin Distributors, Inc.
HARTFORD.....The Rumsey Distributors, Inc.
NEW HAVEN.....The Wornock Mills, Inc.

DELAWARE

WILMINGTON.....Landis & Co., Inc.

FLORIDA

JACKSONVILLE.....Cain & Bultman, Inc.
MIAMI.....Cain & Bultman, Inc.
TAMPA.....Cain & Bultman, Inc.

GEORGIA

ALBANY.....The Goodhue Company
ATLANTA.....The R. A. Siegel Company
AUGUSTA.....William M. Bird & Co., Inc.
MACON.....The R. A. Siegel Company
SAVANNAH.....The Goodhue Company

IDAHO

BOISE.....William Volker & Co.
POCATELLO.....William Volker & Co.

ILLINOIS

CHICAGO.....Carson Pirie Scott & Co.
CHICAGO.....Glabman Bros., Inc.
CHICAGO.....The Sampson Company
DECATUR.....Artophone Corporation
PEORIA.....Isaac Walker Hardware Company

INDIANA

EVANSVILLE.....Kreyling Co.
FORT WAYNE.....Carson Pirie Scott & Co.
FORT WAYNE.....Ohio Plate Glass Co.
INDIANAPOLIS.....Carson Pirie Scott & Co.
INDIANAPOLIS.....Radio Equipment Co., Inc.
LOGANSPOUT.....E. M. Taylor Company, Inc.
RICHMOND.....Adam H. Bartel Company
SOUTH BEND.....Great Northern Distributors Inc.

VINCENNES.....Saiter-Morgan Co., Inc.

IOWA

BURLINGTON.....Burlington Paper Company
CEDAR RAPIDS.....Welch-Cook-Beals Co.
DAVENPORT.....G. J. Timmermann & Co.
DES MOINES.....G. W. Onthank Company
DES MOINES.....G. J. Timmermann & Co.
SIOUX CITY.....Hansen Glass & Paint Co.

KANSAS

WICHITA.....William Volker & Co.

KENTUCKY

LEXINGTON.....Ades-Lexington Dry Goods Co., Inc.
LOUISVILLE.....The Otis Hidden Co.
LOUISVILLE.....Tafel Electric & Supply Co.

LOUISIANA

NEW ORLEANS.....George H. Lehleitner & Co., Inc.
SHREVEPORT.....William Volker & Co.

MAINE

BANGOR.....Rice & Miller Company
PORTLAND.....The Emery-Waterhouse Company

MARYLAND

BALTIMORE.....J. J. Haines & Co., Inc.
BALTIMORE.....The Legum Distributing Co.
CUMBERLAND.....Felix Half & Brother, Inc.

MASSACHUSETTS

BOSTON.....Belknap & McClain, Inc.
BOSTON.....Empire Carpet Corporation
BOSTON.....Joseph M. O'Callaghan Co.
SPRINGFIELD.....Roskin Distributors, Inc.

MICHIGAN

DETROIT.....Burnham, Stoepel & Co.
DETROIT.....Radio Distributing Company
GRAND RAPIDS.....Radio Distributing Company
GRAND RAPIDS.....Yeakey-Scripps
PETOSKEY.....Bremmeyr-Bain Co.
SAGINAW.....Burnham, Stoepel & Co.

MINNESOTA

DULUTH.....Kelley-How-Thomson Co.
MINNEAPOLIS.....Carson Pirie Scott & Co.
ST. PAUL.....Farwell, Ozmun, Kirk & Co.

MISSISSIPPI

JACKSON.....Cabell Electric Company

MISSOURI

JOPLIN.....William Volker & Co.
KANSAS CITY.....W. C. Tingle Company
KANSAS CITY.....William Volker & Co.
ST. LOUIS.....Artophone Corporation
ST. LOUIS.....Carson Pirie Scott & Co.
SPRINGFIELD.....Rogers & Baldwin Hdwe. Co.

MONTANA

BILLINGS.....William Volker & Co.
GREAT FALLS.....William Volker & Co.

NEBRASKA

OMAHA.....William Volker & Co.
SCOTTSBLUFF.....William Volker & Co.

NEW HAMPSHIRE

MANCHESTER.....The Emery-Waterhouse Company

NEW JERSEY

CLIFTON.....Jersey Carpet Corporation
TRENTON.....Fineburgs'

NEW MEXICO

ALBUQUERQUE.....William Volker & Co.

NEW YORK

ALBANY.....Albany Linoleum & Carpet Company, Inc.
BINGHAMTON.....Columbia Distributing Company
BUFFALO.....H. D. Taylor Co.
BUFFALO.....The Wornock Mills, Inc.
MIDDLETOWN.....Roskin Brothers, Inc.
NEW YORK CITY.....Crockett and Buss, Inc.
NEW YORK CITY.....Empire Carpet Corporation
NEW YORK CITY.....Jersey Carpet Corporation
NEW YORK CITY.....The Wornock Mills, Inc.
ROCHESTER.....Columbia Carpet Co., Inc.
SYRACUSE.....Rumsey Distributors, Inc.
UTICA.....Albany Linoleum & Carpet Co., Inc.
UTICA.....Rumsey Distributors, Inc.

NORTH CAROLINA

ASHEVILLE.....Sullivan Hardware Company
CHARLOTTE.....Peerless Incorporated
GOLDSBORO.....J. J. Haines & Co., Inc.
HIGH POINT.....Peerless Incorporated

NORTH DAKOTA

FARGO.....Fargo Paper Co.

OHIO

CANTON.....The Edward R. Hart Co.
CINCINNATI.....Carson Pirie Scott & Co.
CINCINNATI.....Floyd & Company, Inc.
CLEVELAND.....Carson Pirie Scott & Co.
CLEVELAND.....Robert Levin Carpet Company
COLUMBUS.....Carson Pirie Scott & Co.
COLUMBUS.....Thompson & Hamilton, Inc.
MANSFIELD.....The Hartman-Spreng Co.
TOLEDO.....Ohio Plate Glass Co.
YOUNGSTOWN.....Felix Half & Brother, Inc.

OKLAHOMA

OKLAHOMA CITY.....The Paul Davis Company
OKLAHOMA CITY.....William Volker & Co.
TULSA.....William Volker & Co.

OREGON

PORTLAND.....William Volker & Co.

PENNSYLVANIA

ALLEN TOWN.....Columbia Distributing Co.
ALLEN TOWN.....Royal Wholesale Company
ALTOONA.....The H. C. Prutzman Co., Inc.
ERIE.....Young Brothers Electronics, Inc.
HARRISBURG.....Vernon L. Miller Company
JOHNSTOWN.....McClure & McClure, Inc.
LANCASTER.....Landis & Co., Inc.
PHILADELPHIA.....The Fulton Company
PHILADELPHIA.....Landis & Co., Inc.
PHILADELPHIA.....S. Wolf & Sons
PITTSBURGH.....Carson Pirie Scott & Co.
PITTSBURGH.....Felix Half & Brother, Inc.
READING.....Columbia Distributing Co.
REYNOLDSVILLE.....A. T. McClure Glass Co.
SCRANTON.....Columbia Distributing Co.
YORK.....Vernon L. Miller Company

RHODE ISLAND

PROVIDENCE.....Ballou, Johnson & Nichols Co.

SOUTH CAROLINA

CHARLESTON.....William M. Bird & Co., Inc.
COLUMBIA.....William M. Bird & Co., Inc.
FLORENCE.....J. J. Haines & Co., Inc.
GREENVILLE.....Sullivan Hardware Company
SPARTANBURG.....Sullivan Hardware Company

SOUTH DAKOTA

ABERDEEN.....Dakota Paper Company
SIOUX FALLS.....Sioux Falls Paint & Glass Co.

TENNESSEE

BRISTOL.....J. J. Haines & Co., Inc.
CHATTANOOGA.....The R. A. Siegel Company
KNOXVILLE.....The R. A. Siegel Company
MEMPHIS.....Wm. R. Moore Dry Goods Co.
MEMPHIS.....The National-Rose Company
NASHVILLE.....J. L. Perry Company

TEXAS

ABILENE.....William Volker & Co.
AMARILLO.....William Volker & Co.
CORPUS CHRISTI.....William Volker & Co.
DALLAS.....Paul Blackwell Company
DALLAS.....William Volker & Co.
EL PASO.....William Volker & Co.
HOUSTON.....Reader's Wholesale Distributors, Inc.
HOUSTON.....William Volker & Co.
LUBBOCK.....William Volker & Co.
SAN ANTONIO.....William Volker & Co.

UTAH

SALT LAKE CITY.....William Volker & Co.

VIRGINIA

BRISTOL.....J. J. Haines & Co., Inc.
NORFOLK.....J. J. Haines & Co., Inc.
RICHMOND.....J. J. Haines & Co., Inc.
ROANOKE.....J. J. Haines & Co., Inc.
WINCHESTER.....W. H. Bosserman & Son

WASHINGTON

SEATTLE.....Seattle Hardware Company
SEATTLE.....William Volker & Co.
SPOKANE.....William Volker & Co.

WEST VIRGINIA

BLUEFIELD.....Bluefield Supply Co.
CHARLESTON.....Guthrie-Morris-Campbell Co.
CHARLESTON.....Thomas, Field & Co.
CLARKSBURG.....The Koblegard Company
HUNTINGTON.....Watts, Ritter & Company
PARKERSBURG.....Guthrie-Morris-Campbell Co.
WHEELING.....Felix Half & Brother, Inc.

WISCONSIN

MILWAUKEE.....Carson Pirie Scott & Co.
MILWAUKEE.....John Pritzlaff Hdwe. Co.

WYOMING

CASPER.....William Volker & Co.

INDEX

	Page		Page
Adhesives	177, 180, 181	Jaspé	27, 31
Applicator, Linogloss Wax	186	Marbelle	27, 38-41
Armstrong District Offices	190	Newray Inlaid	27, 68-73
Asphalt Tile	93, 94-100	Plain	27, 28, 29
Conductive	100	Royelle	27, 42-44
Greaseproof	94, 97	Spatter	27, 49-52
Insets, Inset Colors	98, 99	Straight Line Inlaid	27, 67
Beveled Edging	100	Suburban	27, 35-37
Feature Strips	100	Textelle	27, 45-48
Backings, flooring	4	Linoleum Tile	115-117
Borders and Linostrips	28, 29	Decoray	115
Budget Wall Covering	121, 126-129	Royelle	116
Cements	180, 181	Suburban	117
Cleaner	186	Linostrips and Borders	28, 29
Code Words for Shipping Instructions	190	Linotile	93, 109, 110
Color Values, Notice of	4	Maintenance Sundries	186
Conductive Asphalt Tile	100	Marbelle Linoleum	38-41
Cork Tile	93, 105	Mosaic Corlon	75, 86-88
Corkwall, De Luxe	121, 122	Newray Inlaid Linoleum	68-73
Corlex	173, 174, 175	Pastes	180, 181
Corlon	74-91	Pattern Repeats	190
Decoresq	75, 83-85	Plain Linoleum	28, 29
Estate	75, 89-91	Plastic Sheet Goods	74, 75
Granette	75, 76, 77	Primers	180, 181
Mosaic	75, 86-88	Plastic Surfacing	121, 124, 125
Terrazzo	75, 78-82	Quaker Rugs and Floor Covering	130-171
Counter Tops	172, 174-175	Resilient Tiles	92-119
Corlex	173, 174, 175	Asphalt Tile	93, 94-100
Plastic Surfacing	121, 124, 125	Cork Tile	93, 105
Cove Base, Top-Set Asphalt	100, 185	Custom Corlon Tile	93, 111-113
Cove Base, Top-Set Rubber	108, 185	Excelon Tile	93, 101-104
Crack Filler, S-190	185	Custom Vinyl Cork Tile	105
Craftline Inlaid Linoleum	27, 53-56	Estate Corlon Tile	93, 114
Custom Cork Tile	105	Linoleum Tile	93, 115-117
Custom Corlon Tile	93, 111-113	Linotile	93, 109, 110
Custom Craft Template Set	182	Rubber Tile	93, 106-108
Custom Vinyl Cork Tile	105	Roll Yardage	189
Decoray Linoleum	27, 32-34	Royelle Linoleum	42-44
Decoray Linoleum Tile	115	Royelle Linoleum Tile	116
Decoresq Corlon	75, 83-85	Rubber Runner	177, 178, 179
De Luxe Corkwall	121, 122	Rubber Tile	93, 106-108
Design Suggestions, Resilient Tile	118, 119	Rug Border	149
Desk Top Linoleum	30	Rugs, Quaker	131, 132-148
Embossed Inlaid Linoleum	27, 57-66	Seam Protector, S-96	185
Emulsion, S-160	181	Shipping Instructions, code words	190
Estate Corlon	75, 89-91	Shipping Weights, Table of	187-189
Excelon Tile	93, 101-104	Size, Floor and Wall, S-140	181
Federal Specifications	4	Spatter Linoleum	49-52
Felt-Base	130-171	Suburban Linoleum	27, 35-37
Floor Covering	131, 150-171	Suburban Linoleum Tile	117
Rug Border	149	Sundries	176-191
Rugs	131, 132-148	Temboard Underlayment	184
Felt Remover	185	Template Set	182
Floor Care Products	177-186	Terrazzo Corlon	75, 78-82
Floor Covering, Quaker	131, 150-171	Textelle Linoleum	45-48
Flormastic, S-170	181	Tools, Installation	182-184
Furniture Rests	186	Top-Set Asphalt Cove Base	100, 185
Granette Corlon	75, 76, 77	Top-Set Rubber Cove Base	108, 185
Greaseproof Asphalt Tile	94-96	Vinyl Wall Tile	121, 123
Imperial Custom Corlon Tile	112, 113	Wall Covering	120-129
Installation Sundries	177, 185	Corkwall	121, 122
Installation Tools	177, 182-184	Budget Wall Covering	121, 126-129
Jaspé Linoleum	27, 31	Plastic Surfacing	121, 124, 125
Lining Felt	185	Vinyl Wall Tile	121, 123
Linogloss Wax	186	Warehousing Points	191
Linoleum	26-73	Wax, Linogloss	186
Craftline Inlaid	27, 53-56	Wax Clean	186
Decoray	27, 32-34	Weights, Shipping	187-189
Desk Top	30	Wholesale Distributors	191
Embossed Inlaid	27, 57-66	Yardage Tables	189



Armstrong

Armstrong

Armstrong

Armstrong

Armstrong

Armstrong

Armstrong

Armstrong

Armstrong

Armstrong

Armstrong

Armstrong

Armstrong

Armstrong

Armstrong

Armstrong

Armstrong

Armstrong

Armstrong

Armstrong

Armstrong

Armstrong

Armstrong

Armstrong

